



**WINTER
2022-2023**

**ALPINE
PROTECTIVE**



TOMORROW IS YOURS

SALOMON

QST 106

#ISKIQST

The icon of Salomon's QST line, the QST 106 has solidified itself as a favorite from the resort to the backcountry. This year, we revamped the ski's shape and tweaked the construction, being sure to complement but not change, the classic QST layout that you rely on for power and stability. The result? A ski that does it all with style and finesse - no matter the snow, no matter the terrain.



SALOMON

QST STELLA 106

#ISKIQST

The "Go To" choice for women freeriders everywhere, the QST Stella 106 has positioned itself as a favorite from the resort to the backcountry. This year we revamped the ski's shape and tweaked the construction, being sure to complement, but not change, the classic QST layout that you rely on for power and stability. The result? A ski with the exact same construction as the men's ski that offers performance, finesse and style no matter the snow or terrain.



SALOMON

FREERIDE QST




QST BLANK
L41494100•

QST BLANK SKINS
L47021700•




QST 106
L41670300•
NEW

QST 106 SKINS
L47025600•
NEW




QST 98
L41494200•

QST 98 SKINS
L47025700•



QST 92
L41636800•
NEW

QST 92 SKINS
L47025800•
NEW



QST SPARK
L41494400•

QST SPARK M10 GW L90
L41555300•

	NAME	REFERENCE	BINDINGS PLATE SKINS	DIMENSIONS					WEIGHT (/ski) (g)	ROC- KER	FEATURES	TOP- SHEET
				LENGTH (cm)	TIP (mm)	WAIST (mm)	TAIL (mm)	RADIUS (m)				
ALL MOUNTAIN	QST											
	QST BLANK	L41494100•	-	178 186 194	138	112	127	17	2220	Tip & Tail Rocker	Double Sidewalls C/FX Full Poplar Woodcore Cork Damplifier	Glossy
	QST BLANK (AND SKINS)	L47021700•	SKINS									
	QST 106	L41670300•	-	165 173 181 189	139	106	126	19	1980	Tip & Tail Rocker	Double Sidewalls C/FX Full Poplar Woodcore Cork Damplifier	Glossy
	QST 106 (AND SKINS)	L47025600•	SKINS									
	QST 98	L41494200•	-	169 176 183 189	132	98	120	16	1860	Tip & Tail Rocker	Double Sidewalls C/FX Full Poplar Woodcore Cork Damplifier	Glossy
	QST 98 (AND SKINS)	L47025700•	SKINS									
	QST 92	L41636800•	-	152 160 168 176 184	128	92	116	16	1800	Tip & Tail Rocker	Double Sidewalls C/FX Full Poplar Woodcore	Glossy
	QST 92 (AND SKINS)	L47025800•	SKINS									
	QST SPARK	L41494400•	-	143 150 157 164 171 178	117	85	109	13	1523	Twintip	Stepdown Sidewalls Poplar Woodcore	Corund
QST SPARK (AND M10)	L41555300•	M10 GW L80	141 150 157 164 171 178	117	85	109	13	1723	Twintip	Stepdown Sidewalls Poplar Woodcore	Corund	

QST TECHNOLOGIES

VERSATILITY BORN FROM MATERIAL SCIENCE



DOUBLE SIDEWALL TECHNOLOGY
High density injected piece of ABS underfoot combined with full length sidewalls which creates a strong platform underfoot to maximize the grip on hard snow.



CORK DAMPLIFIER
Cork is 16 times more absorptive than Koroyd. Using it in the tip and/or tail of the ski enables a high level of vibrations absorption and enhances dampening while decreasing weight.



C/FX
C/FX Technology - our patented blend of carbon fiber and flax - provides superior versatility thanks to unrivaled performance vs. weight ratio.

FREERIDE QST W



QST STELLA 106
L41773200+
NEW

QST LUMEN 98
L41773300+
NEW

QST LUX 92
L41773400+
NEW

QST STELLA 106 SKINS
L47026000+
NEW

QST LUMEN 98 SKINS
L47021900+
NEW

QST LUX 92 SKINS
L47026100+
NEW

	NAME	REFERENCE	BINDINGS PLATE SKINS	DIMENSIONS					WEIGHT (/ski) (g)	ROC- KER	FEATURES	TOP- SHEET
				LENGTH (cm)	TIP (mm)	WAIST (mm)	TAIL (mm)	RADIUS (m)				
ALL MOUNTAIN	QST W											
	QST STELLA 106	L41773200+	-	157 165 173	137	106	124	17	1810	Tip & Tail Rocker	C/FX Cork Dampifier Full Poplar Woodcore	Glossy
	QST STELLA 106 (AND SKINS)	L47026000+	SKINS									
	QST LUMEN 98	L41773300+	-	152 160 168 176	131	98	119	15	1740	Tip & Tail Rocker	C/FX Cork Dampifier Full Poplar Woodcore	Glossy
	QST LUMEN 98 (AND SKINS)	L47021900+	SKINS									
	QST LUX 92	L41773400+	-	146 152 160 168	126	92	114	12	1560	Tip & Tail Rocker	C/FX Ti Binding Reinforcement Full Poplar Woodcore	Glossy
QST LUX 92 (AND SKINS)	L47026100+	SKINS										

ALL MOUNTAIN STANCE



STANCE 102
L41769600+
NEW




STANCE 96
L41769700+
NEW



STANCE 90
L41769800+
NEW



STANCE 84
L41769900+
NEW



STANCE 84
M12 GW F90
L47041300+
NEW



STANCE 80
M11 GW L80
L47041400+
NEW

NAME	REFERENCE	BINDINGS PLATE SKINS	DIMENSIONS					WEIGHT (/ski) (g)	ROC- KER	FEATURES	TOP- SHEET
			LENGTH (cm)	TIP (mm)	WAIST (mm)	TAIL (mm)	RADIUS (m)				
ALL MOUNTAIN STANCE											
STANCE 102	L41769600+	-	176 183 190	134	102	121	23	2120	All-Ter- rain Rocker	Metal Twin Frame Double Ti Full Poplar Woodcore	Glossy
STANCE 96	L41769700+	-	168 176 182 188	132	96	114	20	2010	All-Ter- rain Rocker	Metal Twin Frame Double Ti Full Poplar Woodcore	Glossy
STANCE 90	L41769800+	-	168 176 182 188	126	90	108	18	1775	All-Ter- rain Rocker	Metal Twin Frame Double Ti Full Poplar Woodcore	Glossy
STANCE 84	L41769900+	-	161 169 177 185	123	84	106	16	1640	All-Ter- rain Rocker	Ti-C Frame Single Ti Full Poplar Woodcore	Glossy
STANCE 84 (AND M12)	L47041300+	M12 GW F90	161 169 177 185	123	84	106	16	1840	All-Ter- rain Rocker	Ti-C Frame Single Ti Full Poplar Woodcore	Corund
STANCE 80 (AND M11)	L47041400+	M11 GW L80	161 169 177 185	124	80	106	14	1930	All-Ter- rain Rocker	Ti-C Frame Poplar Woodcore Single Ti	Corund

STANCE

THE POWER OF TITANAL

TI-C FRAME TECHNOLOGY IS ADAPTED WITH THE SIDECUT OF NEW STANCE 80 AND STANCE 84.

1 Titanal layer above the core which brings a strong edge hold and blended with 2 carbon windows offer an homogeneous flex.



102 / 96 / 90
DOUBLE Ti / TOP METAL LAYER BLENT
WITH CFX WINDOWS

POWER, STABILITY AND CONTROL



84 / 80
SINGLE Ti / TOP METAL LAYER BLENDED WITH
CARBON WINDOWS

**HOMOGENEOUS FLEX AND MANEUVRABILITY
WITH POWER AT THE END OF THE TURN.**

ALL MOUNTAIN STANCE W



STANCE W 94
L41137300•

STANCE W 88
L41137400•

STANCE W 84
L41493800•

**STANCE W 84
M11 GW L90**
L41535500•

**STANCE W 80
M10 GW L80**
L41535600•

	NAME	REFERENCE	BINDINGS PLATE SKINS	DIMENSIONS				WEIGHT (/ski) (g)	ROC- KER	FEATURES	TOP- SHEET	
				LENGTH (cm)	TIP (mm)	WAIST (mm)	TAIL (mm)					RADIUS (m)
ALL MOUNTAIN	STANCE W											
	STANCE W 94	L41137300•	-	154 161 168 174	124	94	106	18	1720	All-Ter- rain Rocker	Metal Twin Frame Karuba / Poplar Full Woodcore	Glossy
	STANCE W 88	L41137400•	-	154 161 168 174	120	88	102	17	1520	All-Ter- rain Rocker	Metal Twin Frame Karuba / Poplar Full Woodcore	Glossy
	STANCE W 84	L41493800•	-	151 159 167 175	122	84	105	15	1450	All-Ter- rain Rocker	Ti-C Frame Single Ti Karuba / Poplar Full Woodcore	Glossy
	STANCE W 84 (AND M11)	L41535500•	M11 GW L90	151 159 167 175	122	84	105	15	1840	All-Ter- rain Rocker	Ti-C Frame Single Ti Karuba / Poplar Full Woodcore	Noppe
STANCE W 80 (AND M10)	L41535600•	M10 GW L80	141 151 159 167 175	124	80	106	14	1910	All-Ter- rain Rocker	Ti-C Frame Poplar Woodcore Single Ti	Noppe	

STANCE WOMEN

THE LIGHTWEIGHT OF COMBINED POPLAR-KARUBA CORE

LIGHTWEIGHT

Karuba on the sides to gain weight and inertia, Poplar under the bindings screws to ensure stability and confidence.

♀ Women's Specific Construction

AVAILABLE ON STANCE W 84 / 88 / 94



RESORT S/FORCE



S/FORCE Ti.80
Z12 GW F80
L41533600+

S/FORCE Ti.76
Z12 GW F80
L41533800+

S/FORCE Fx.80
M11 GW L80
L47055900+

S/FORCE Fx.76
M11 GW L80
L41534400+

RESORT S/MAX W




S/FORCE SX
M10 GW
L41537700+

S/MAX N°10 XT
M11 GW L80
L47039700+

S/MAX N°6 XT
M10 GW L80
L47040300+

NAME	REFERENCE	BINDINGS PLATE SKINS	DIMENSIONS				WEIGHT (/ski) (g)	ROC- KER	FEATURES	TOP- SHEET	
			LENGTH (cm)	TIP (mm)	WAIST (mm)	TAIL (mm)					RADIUS (m)
RESORT S/FORCE											
S/FORCE Ti.80 (and Z12)	L41533600+	Z12 GW F80	163 170 177 184	128	80	112	16	2275	Tip Rocker	Edge Amplifier GS Crossover Tip Full Poplar Woodcore	Mat + 3D Structu- ration
S/FORCE Ti.76 (and Z12)	L41533800+	Z12 GW F80	149 156 163 170 177	128	76	108	15	2130	Tip Rocker	Edge Amplifier GS Crossover Tip Poplar Woodcore	Mat + 3D Structu- ration
S/FORCE Fx.80 (and M11)	L47055900+	M11 GW L80	149 156 163 170 177	127	80	110	16	2185	Tip Rocker	Edge Amplifier GS Crossover Tip Poplar Woodcore	Glossy + 3D Struc- turation
S/FORCE Fx.76 (and M11)	L41534400+	M11 GW L80	149 156 163 170 177	128	76	108	15	2110	Tip Rocker	Edge Amplifier GS Crossover Tip Poplar Woodcore	Glossy + 3D Struc- turation
S/FORCE SX (and M10)	L41537700+	M10 GW	140 150 160 167 175	128	76	108	15	2110	Tip Rocker	Composite Rental Chamfer Pulse Pad - Smooth Rubber Layer	TPU Glossy Struc- tured
S/MAX W											
S/MAX N°10 XT (AND M11)	L47039700+	M11 GW L80	149 156 163 170	127	76	107	13	1850	Tip Rocker	Edge amplifier GS	Line + 3D Structu- ration
S/MAX N°6 XT (AND M10)	L47040300+	M10 GW L80	140 150 160 167	123	76	107	11	1720	Tip Rocker	Poplar Woodcore Rental Chamfer	Line + 3D Structu- ration

TERRAIN ABSORPTION TO CRUSH ANY SLOPE



CROSSOVER TIP

A new construction of the tip now has lateral TPU inserts replacing the titanium to act as bumpers and better absorb shock, while a layer of carbon powered C/FX improves dampening properties. The new tip absorbs all terrain variations and enhances the ski's ability to cut through snow.

FULL DUAL WOODCORE (10-12)

full poplar woodcore encapsulated in a foam. Pressed in a full sandwich ski makes it the lightest full woodcore ski on the market.


TOURING MTN



MTN 96 CARBON
L41670400+
NEW



MTN 86 PRO
L41670600+
NEW



MTN 86 W PRO
L41770200+
NEW



MTN 80 PRO
L41767100+
NEW

MTN 96 CARBON SKINS
L47026400+
NEW

MTN 86 PRO SKINS
L47026500+
NEW

MTN 86 W PRO SKINS
L47026700+
NEW

MTN 80 PRO SKINS
L47026200+
NEW

NAME	REFERENCE	BINDINGS PLATE SKINS	DIMENSIONS					WEIGHT (/ski) (g)	ROC- KER	FEATURES	TOP- SHEET
			LENGTH (cm)	TIP (mm)	WAIST (mm)	TAIL (mm)	RADIUS (m)				
TOURING MTN											
MTN 96 CARBON	L41670400+	-	166 174 182	129	95	115	18	1390	All-Ter- rain Rocker	Cork Damplifier Full Karuba Woodcore Carbon Skin Tail Clip	Line
MTN 96 CARBON (AND SKINS)	L47026400+	SKINS									
MTN 86 PRO	L41670600+	-	156 164 172 180	120	86	106	18	1230	All-Ter- rain Rocker	Cork Damplifier Karuba / Poplar Full Woodcore Skin Tail Clip	Line
MTN 86 PRO (AND SKINS)	L47026500+	SKINS									
MTN 86 W PRO	L41770200+	-	156 164 172	118	85	104	18	1140	All-Ter- rain Rocker	Cork Damplifier Karuba / Poplar Full Woodcore Skin Tail Clip	Line
MTN 86 W PRO (AND SKINS)	L47026700+	SKINS									
MTN 80 PRO	L41767100+	-	158 164 170	113	80	99	17	1145	All- Terrain Rocker	Full Poplar Woodcore Cork Damplifier Skin Tail Clip	Line
MTN 80 PRO (AND SKINS)	L47026200+	SKINS									

JUNIOR QST



QST BLANK TEAM

L41670700+

NEW

QST BLANK TEAM

L6 GW J2 90

L47103100+

NEW

JUNIOR QST SPARK



QST SPARK JR M

L6 GW J2 90

L47042200+

NEW

QST SPARK JR S

C5 GW J85

L47057600+

NEW

JUNIOR RENTAL QST MAX



QST MAX JR M

L6 GW

L41535800+

QST MAX JR S

C5 GW

L41536000+

QST MAX JR XS

C5 GW

L41536100+

JUNIOR RENTAL QST LUX



QST LUX JR M

L6 GW

L41536200+

QST LUX JR S

C5 GW

L41536400+

JUNIOR RENTAL T1



T1 JR XS

C5 GW

L40891100+


NAME	REFERENCE	BINDINGS PLATE SKINS	DIMENSIONS					WEIGHT (/ski) (g)	ROC- KER	FEATURES	TOP- SHEET
			LENGTH (cm)	TIP (mm)	WAIST (mm)	TAIL (mm)	RADIUS (m)				
JUNIOR QST											
QST BLANK TEAM	L41670700+	-	128 137 146 152	123	92	113	12	1146	All-Terrain Rocker	ABS Sidewalls Full poplar Woodcore	Corund
QST BLANK TEAM (AND L6)	L47103100+	L6 GW J2 90	128 137 146 152	123	92	113	12	1307	All-Terrain Rocker	ABS Sidewalls Full poplar Woodcore	Corund
JUNIOR QST SPARK											
QST SPARK JR M (AND L6)	L47042200+	L6 GW J2 90	143 150	117	85	109	12	1586	Twintip	Composite	Corund
QST SPARK JR S (AND C5)	L47057600+	C5 GW J75	113 123 133	112	80	104	8	1330	Twintip	Composite	Corund

NAME	REFERENCE	COLOR	SIZE RUN	BINDING	PLATE	WAIST WIDTH	RADI- US	WEIGHT SAMPLE SIZE KG	SHAPE PRO- FILE	KEY FEATURES	TOP SHEET	RENTAL
JUNIOR RENTAL QST MAX												
QST MAX JR M (and L6)	L41535800+	Lt. Blue Grey	130 140 150		L6 GW	68	12	1492	All Terrain Rocker	All Terrain Rocker Composite Monocoque	Shark	
QST MAX JR S (and C5)	L41536000+	Lt. Blue Grey	100 110 120		C5 GW	67	8	772	All Terrain Rocker	All Terrain Rocker Composite Monocoque	Shark	
QST MAX JR XS (and C5)	L41536100+	Lt. Blue Grey	70 80 90		C5 GW	64	7	458	All Terrain Rocker	All Terrain Rocker Composite Monocoque	Shark	
JUNIOR RENTAL QST LUX												
QST LUX JR M (and L6)	L41536200+	Bordeaux Pink	130 140 150		L6 GW J2 80	68	12	1492	All Terrain Rocker	All Terrain Rocker Composite Monocoque	Shark	
QST LUX JR S (and C5)	L41536400+	Bordeaux Pink	100 110 120		C5 GW J75	67	8	772	All Terrain Rocker	All Terrain Rocker Composite Monocoque	Shark	
JUNIOR RENTAL T1												
T1 JR XS C5 GW	L40891100+	White Multi	70 80 90		C5 GW J75	64	7	458	All Terrain Rocker	All Terrain Rocker Composite Monocoque	Shark	

STRIVE

**Ultra low profile.
High-end performance.**

An ultra low profile and minimal 5mm ramp angle radically enhances your power, control, and response by allowing the true characteristics of the ski shape and construction to shine.



SALOMON

TOURING MTN



MTN PURE
L41774000+
NEW



MTN PURE W/ BRAKE
L47107200+
NEW

FREERIDE TOURING S/LAB SHIFT



S/LAB SHIFT MNC 13
L41130400+



S/LAB SHIFT MNC 13
L41130300+



S/LAB SHIFT MNC 10
L41130500+

	NAME	REFERENCE	COLOR	DIN SCALE	ADJUSTMENT RANGE (MM)	ADJUSTMENT RANGE (US SIZES)	HEIGHT (mm)	WEIGHT (1/2 pair) (g)	NORM	FEATURES	
TOURING	MTN										
	MTN PURE	L41774000+	Black Titan	—	30	3.5	18	297	Rando	Aluminium Patented Step-in aid Wide Screw implementation	
	MTN PURE W/ BRAKE	L47107200+	Black Titan	—	30	3.5	30	345	Rando	Aluminium Patented Step-in aid Wide Screw implementation	
FREERIDE TOURING	S/LAB SHIFT										
	S/LAB SHIFT MNC 13	L41130400+	Black	6-13	30	3.75	24.2	885	MNC (Multi Norm Certified) TÜV	Easy climbing aids manipulation +Elastic travel Crampon system	
	S/LAB SHIFT MNC 13	L41130300+	Black Blue	6-13	30	3.75	24.2	885	MNC (Multi Norm Certified) TÜV	Easy climbing aids manipulation +Elastic travel Crampon system	
	S/LAB SHIFT MNC 10	L41130500+	Black	4-10	30	3.75	24.2	875	MNC (Multi Norm Certified) TÜV	Easy climbing aids manipulation +Elastic travel Crampon system	

FREERIDE STH2



STH2 MNC 16
L41463800+

FREERIDE STRIVE



N STRIVE 16 GW
L41774800+
NEW



N STRIVE 16 GW
L47038800+
NEW



N STRIVE 14 GW
L41775000+
NEW



N STRIVE 14 GW
L41774900+
NEW



N STRIVE 14 GW
L41775100+
NEW

	NAME	REFERENCE	COLOR	DIN SCALE	ADJUSTMENT RANGE (MM)	HEIGHT (mm)	WEIGHT (1/2 pair) (g)	NORM	FEATURES
FREERIDE	STH2								
	STH2 MNC 16	L41463800+	Red	7-16	28	20.5	1240	MNC (Multi Norm Certified) TÜV	Dual Transfer Switch 3D Driver Toe Extra-wide Toe pedal (>60mm)
	STRIVE								
	N STRIVE 16 GW	L41774800+	Black	7-16	30	19.6	1110	Alpine - Adult Gripwalk - Adult TÜV	LDN Toe •Elastic travel Extra-wide Toe pedal (>60mm)
	N STRIVE 16 GW	L47038800+	Peacock Iridescent	7-16	30	19.6	1110	Alpine - Adult Gripwalk - Adult TÜV	LDN Toe •Elastic travel Extra-wide Toe pedal (>60mm)
	N STRIVE 14 GW	L41775000+	Black	5-14	30	19.6	980	Alpine - Adult Gripwalk - Adult TÜV	LDN Toe •Elastic travel Extra-wide Toe pedal (>60mm)
	N STRIVE 14 GW	L41774900+	Peacock Iridescent	5-14	30	19.6	980	Alpine - Adult Gripwalk - Adult TÜV	LDN Toe •Elastic travel Extra-wide Toe pedal (>60mm)
	N STRIVE 14 GW	L41775100+	Metal	5-14	30	19.6	980	Alpine - Adult Gripwalk - Adult TÜV	LDN Toe •Elastic travel Extra-wide Toe pedal (>60mm)

ALL MOUNTAIN WARDEN



ALL MOUNTAIN STAGE



JUNIOR JUNIOR



	NAME	REFERENCE	COLOR	DIN SCALE	ADJUSTMENT RANGE (MM)	ADJUSTMENT RANGE (US SIZES)	HEIGHT (mm)	WEIGHT (1/2 pair) (g)	NORM	FEATURES	
FREERIDE	WARDEN										
	WARDEN MNC 13	L41465100+	Black Mat	4-13	28	3.5	19.4	1132	MNC (Multi Norm Certified) TÜV	Sliding Toe pedal Extra-wide Toe pedal (>60mm) Low profile Chassis	
	WARDEN MNC 13	L41130600+	Otter	4-13	28	3.5	19.4	1132	MNC (Multi Norm Certified) TÜV	Sliding Toe pedal Extra-wide Toe pedal (>60mm) Low profile Chassis	
	WARDEN MNC 11	L47038700+	Black Mat	3.5-11	32	4	19.2	995	MNC (Multi Norm Certified) TÜV	Sliding Toe pedal Extra-wide Toe pedal (>60mm) Low profile Chassis	
	WARDEN MNC 11	L41465500+	Copen Blue	3.5-11	32	4	19.2	995	MNC (Multi Norm Certified) TÜV	Sliding Toe pedal Extra-wide Toe pedal (>60mm) Low profile Chassis	
	WARDEN MNC 11	L40507800+	Silver Black	3.5-11	32	4	19.2	995	MNC (Multi Norm Certified) TÜV	Sliding Toe pedal Extra-wide Toe pedal (>60mm) Low profile Chassis	
ALL MOUNTAIN	WARDEN MNC 11	L47000000+	Light Green	3.5-11	32	4	19.2	995	MNC (Multi Norm Certified) TÜV	Sliding Toe pedal Extra-wide Toe pedal (>60mm) Low profile Chassis	
	STAGE										
	STAGE GW 11	L41464000+	Black	3.5-11	30	3.5	18.1	860	Alpine - Adult Gripwalk - Adult TÜV	Automatic Wing & Toe adjustment Walk pedal BackRollers technology	
	STAGE GW 11	L41546400+	White	3.5-11	30	3.5	18.1	860	Alpine - Adult Gripwalk - Adult TÜV	Automatic Wing & Toe adjustment Walk pedal BackRollers technology	
JUNIOR	JUNIOR										
	Z10	L39877900+	Black White	3-12	28	3.5	16.5	970	Alpine - Adult TÜV	Automatic Wing & Toe adjustment XL Wings Wide Toe Pedal (50>60mm)	
L7	L41131100+	Black White	2-7.5	28	3.5	11.9	861	Alpine - Adult Alpine - Junior Gripwalk - Adult Gripwalk - Junior TÜV	Automatic Wing & Toe adjustment Gripwalk - Adult Gripwalk - Junior		


DEMO ALL MOUNTAIN



DEMO BINDINGS STRIVE



CRAMPON



	NAME	REFERENCE	COLOR	DIN SCALE	ADJUSTMENT RANGE (MM)	ADJUSTMENT RANGE (US SIZES)	HEIGHT (mm)	WEIGHT (1/2 pair) (g)	NORM	FEATURES	
DEMO	ALL MOUNTAIN										
	MTN TOUR DEMO	L41200700*	Black Blue		50	5.5	30	400	Rando	Aluminium Patented Step-in aid Wide Screw implementation	
	WARDEN MNC 13 DEMO	L40819600*	Black	4-13	120	15	26.5	1340	MNC (Multi Norm Certified) Alpine - Adult TÜV	Sliding Toe pedal U Power Toe Extra-wide Toe pedal (-60mm)	
	STRIVE										
	STRIVE 13 GW DEMO	L41775200*	Black	4.5-13	120	15	20.1	1180	Alpine - Adult Gripwalk - Adult TÜV	LDN Toe +Elastic travel Extra-wide Toe pedal (-60mm)	
	STRIVE 11 GW DEMO	L41775300*	Black	3.5-11	120	15	20.1	1100	Alpine - Adult Gripwalk - Adult TÜV	LDN Toe +Elastic travel Extra-wide Toe pedal (-60mm)	

	NAME	REFERENCE	SIZING	PRICES \$ SRP
DEMO	CRAMPON			
	1X2 CRAMPON SHIFT	L41200700*	SH100 SH120	\$ 100
	1X2 CRAMPON MTN	L40508100*	G80 G90 G100 G110	\$ 100

S/PRO ALPHA 130

Premium performance.
Unrivalled fit.

Crafted by the world's best boot fitters to ensure unmatched fit, comfort, and performance from step in to last chair.



SALOMON



S/PRO ALPHA 110W

PERFORMANCE LOW VOLUME S/PRO ALPHA



S/PRO ALPHA 130 (EL) L47044200 **NEW**
S/PRO ALPHA 120 GW(EL) L47044300 **NEW**
S/PRO ALPHA 120 GW L47044500 **NEW**
S/PRO ALPHA 110 GW L47045400 **NEW**
S/PRO ALPHA 100 GW L47045500 **NEW**

PERFORMANCE LOW VOLUME S/PRO ALPHA W



S/PRO ALPHA 110 W GW(EL) L47045800 **NEW**
S/PRO ALPHA 100 W GW L47045700 **NEW**
S/PRO ALPHA 90 W GW L47045900 **NEW**
S/PRO ALPHA 80 W GW L47046000 **NEW**

KEY FEATURES

- Unmatched instep thanks to specific buckle spacing on the lower shell & reworked design & volume
- Outstanding foothold with 45° buckle placement of the lower shell
- Personalized Fit through Custom tongue feature

3D INSTEP SHELL

This new construction refers to the construction of the lower shell. The thinner plastic and strategic positioning of the forefoot buckle deliver:

- Less pressure on the top of your foot.
- Make for easier step in and out.
- Ensure stronger heel lock without putting unnecessary pressure on your foot.



NAME	REFERENCE	COLOR	FLEX	LAST	SIZES	WEIGHT (boot) [g]	TECHNOLOGIES	SHELL	CUFF	LINER	Strap	BUCKLES
S/PRO ALPHA												
S/PRO ALPHA 130 (EL)	L47044200	Race Blue White	130	98 /104	22.5 to 30.5	1850	Custom shell HD 3D instep shell Power spine Custom tongue	Polyurethane + Custom Shell HD 3D instep shell	Polyurethane + Custom Shell HD Power spine	Custom tongue Sensitive ² footbed My Custom Fit 4D World Cup	ENERGYZ-ER CLAW 50MM	Screwed cuff alignment pivot Screwed aluminium buckles
S/PRO ALPHA 120 GW(EL)	L47044300	Black Race blue	120	98 /104	24.5 to 30.5	1820	Custom shell HD 3D instep shell Power spine Custom tongue	Polyurethane + Custom Shell HD 3D instep shell	Polyurethane + Custom Shell HD Power spine	My Custom Fit 4D Race Custom tongue Sensitive ² footbed	SCREWED ENERGYZ-ER VELCRO 45MM	Screwed cuff alignment pivot Screwed aluminium buckles
S/PRO ALPHA 120 GW	L47044500	Steel Gray Pastel neon green 1 Black	120	98 /104	24.5 to 30.5	1810	Custom shell HD 3D instep shell Power spine	Grilamid + Custom Shell HD 3D instep shell	Polyurethane + Custom Shell HD Power spine	Sensitive ² footbed My Custom Fit 4D Perf	SCREWED ENERGYZ-ER VELCRO 45MM	4 riveted aluminium 3D
S/PRO ALPHA 110 GW	L47045400	Black Titanium Metal	110	98 /104	24.5 to 30.5	1810	Custom shell HD 3D instep shell Power spine	Polyurethane + Custom Shell HD 3D instep shell	Polyurethane + Custom Shell HD Power spine	My Custom Fit 4D Sport Light ² footbed	VELCRO 45MM	4 riveted aluminium 3D
S/PRO ALPHA 100 GW	L47045500	Black Red	100	98 /104	24.5 to 30.5	1810	Custom shell HD 3D instep shell	Polyurethane + Custom Shell HD 3D instep shell	Polyurethane + Custom Shell HD	My Custom Fit 3D Perf Light ² footbed	VELCRO 35MM	4 riveted aluminium 3D
S/PRO ALPHA W												
S/PRO ALPHA 110 W GW(EL)	L47045800	Black Burgundy Metal Silver	110	98 /104	22.5 to 27.5	1610	Custom shell HD 3D instep shell Power spine Custom tongue	Polyurethane + Custom Shell HD 3D instep shell	Polyurethane + Custom Shell HD Power spine	Custom tongue Sensitive ² footbed My Custom Fit 4D Perf	SCREWED ENERGYZ-ER VELCRO 45MM	Tool free tooth adjustment Screwed cuff alignment pivot Screwed aluminium buckles
S/PRO ALPHA 100 W GW	L47045700	White Moss Silver Black	100	98 /104	22.5 to 27.5	1610	Custom shell HD 3D instep shell Power spine Custom tongue	Polyurethane + Custom Shell HD 3D instep shell	Polyurethane + Custom Shell HD Power spine	Custom tongue My Custom Fit 4D Sport Light ² footbed	VELCRO 45MM	4 riveted aluminium 3D Tool free tooth adjustment
S/PRO ALPHA 90 W GW	L47045900	Black Pinkgold metal Silver	90	98 /104	22.5 to 27.5	1610	Custom shell HD 3D instep shell	Polyurethane + Custom Shell HD 3D instep shell	Polyurethane + Custom Shell HD	My Custom Fit 3D Perf Light ² footbed	VELCRO 35MM	4 riveted aluminium 3D Tool free tooth adjustment
S/PRO ALPHA 80 W GW	L47046000	Black White Moss Silver	80	98 /104	22.5 to 27.5	1610	3D instep shell	Polyurethane + 3D instep shell	Polyurethane	My Custom Fit 3D Sport	VELCRO 35MM	4 riveted aluminium 3D Tool free tooth adjustment

PERFORMANCE MID VOLUME S/PRO



PERFORMANCE MID VOLUME SELECT



PERFORMANCE MID VOLUME S/PRO W



PERFORMANCE MID VOLUME SELECT



NAME	REFERENCE	COLOR	FLEX	LAST	SIZES	WEIGHT (/boot) (g)	TECHNOLOGIES	SHELL	CUFF	LINER	Strap	BUCKLES
PERFORMANCE MID VOLUME S/PRO												
S/PRO 130 GW	L41481200	Night Sky Safety Yellow Medieval Blue	130	100 /106	24.5 to 31.5	1800	Coreframe 360° Custom shell HD Sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD + sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD	My Custom Fit 4D Race	SENSE 45MM	4 screwed aluminium 3D
S/PRO 120 GW	L41481300	Black Rainy day Belluga	120	100 /106	24.5 to 31.5	1750	Coreframe 360° Custom shell HD shell & cuff Sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD + sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD	My Custom Fit 4D Pro	SENSE 45MM	4 riveted aluminium 3D
S/PRO 120 GW	L41481400	Belluga Red Black	120	100 /106	24.5 to 31.5	1750	Coreframe 360° Custom shell HD shell & cuff Sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD + sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD	My Custom Fit 4D Pro	SENSE 45MM	4 riveted aluminium 3D
S/PRO 110 GW	L41481500	Black Acid Green Dark Silver Metallic	110	100 /106	24.5 to 31.5	1780	Coreframe 360° Custom shell HD shell & cuff Sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD + sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD	My Custom Fit 4D Pro	SENSE 45MM	4 riveted aluminium 3D
S/PRO 100 GW	L41481600	Black Belluga Dark Silver Metallic	100	100 /106	24.5 to 31.5	1800	Coreframe 360° Custom shell HD shell & cuff Seamless liner Sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD + sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD	My Custom Fit 3D seamless perf	SENSE 35MM	4 riveted aluminium 3D
S/PRO 90 CS GW	L41540800	Black Oil Green White	90	100 /106	24.5 to 31.5	1850	Coreframe Custom Shell HD Seamless Liner Sensifit insert	Polyolefin + Sensifit Insert	Polyurethane + Sense Amplifier	My Custom Fit 3D Seamless Sport	360° 35mm	4 riveted aluminium 3D
PERFORMANCE MID VOLUME SELECT												
SELECT 90	L41498300	Black Belluga Rainy Day	90	100	24.5 to 31.5	1873	Sensifit insert Autostrech liner Calf adjuster	Polyurethane + sensifit insert	Polyolefin + calf adjuster	My Instant Fit Sport	SENSE 35MM	4 riveted aluminium 3D
PERFORMANCE MID VOLUME S/PRO W												
S/PRO 100 W GW	L41486100	Black Burgandy Shift Green	100	100 /106	22.5 to 27.5	1570	Coreframe Custom shell HD Sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD + sensifit insert	Polyurethane	My Custom Fit 4D Pro	SENSE 35MM	4 riveted aluminium 3D Tool free tooth adjustment
S/PRO 90 W GW	L41486300	Belluga Metallic Black Copper Metallic	90	100 /106	22.5 to 27.5	1620	Coreframe Custom shell HD Seamless liner Sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD + sensifit insert	Polyurethane	My Custom Fit 3D seamless perf	SENSE 35MM	4 riveted aluminium 3D Tool free tooth adjustment
S/PRO 90 W GW	L41486200	Black Rose gold metal Belluga	90	100 /106	22.5 to 27.5	1620	Coreframe Custom shell HD Seamless liner Sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD + sensifit insert	Polyurethane	My Custom Fit 3D seamless perf	SENSE 35MM	4 riveted aluminium 3D Tool free tooth adjustment
S/PRO 80 W CS GW	L41540900	Black Sterling Blue White	80	100 /106	22.5 to 27.5	1620	Coreframe Custom shell HD Seamless liner Sensifit insert	Polyurethane + fiberglass coreframe + sensifit insert	Polyurethane + Sense Amplifier	My Custom Fit seamless sport	360° 35mm	4 riveted aluminium 3D Tool free tooth adjustment
PERFORMANCE MID VOLUME SELECT W												
SELECT 80 W	L41498600	Black Lavender Belluga	80	100	22.5 to 27.5	1700	Sensifit insert Autostrech liner Calf adjuster	Polyolefin + sensifit insert	Polyolefin + calf adjuster	My Instant Fit Sport	SENSE 35MM	4 riveted aluminium 3D Tool free tooth adjustment

PERFORMANCE HIGH VOLUME S/PRO HV



S/PRO HV 130 GW
L47059100
NEW



S/PRO HV 120 GW
L47059200
NEW



S/PRO HV 100 GW
L47059300
NEW

PERFORMANCE HIGH VOLUME SELECT HV



SELECT HV 90
L41499800
NEW



SELECT HV 80
L47102300
NEW

PERFORMANCE HIGH VOLUME S/PRO HV W



S/PRO HV 100 W GW
L41486900
NEW



S/PRO HV 90 W GW
L47102500
NEW

PERFORMANCE HIGH VOLUME SELECT HV W



SELECT HV 80 W
L41500400
NEW



SELECT HV 70 W
L41500700
NEW

	NAME	REFERENCE	COLOR	FLEX	LAST	SIZES	WEIGHT (/boot) [g]	TECHNOLOGIES	SHELL	CUFF	LINER	Strap	BUCKLES	
PERFORMANCE HIGH VOLUME	S/PRO HV													
	S/PRO HV 130 GW	L47059100	Night Sky Acid green Black	130	102 /108	24.5 to 33.5	1810	Coreframe 360° Custom shell HD shell & cuff Seamless liner Dual Sensifit Insert	Polyurethane + fiberglass coreframe + Custom Shell HD + dual sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD	My Custom Fit 3D seamless race	SENSE 45MM	4 screwed aluminium 3D	
	S/PRO HV 120 GW	L47059200	Belluga metal Red metal	120	102 /108	24.5 to 33.5	1810	Coreframe 360° Custom shell HD shell & cuff Seamless liner Dual Sensifit Insert	Polyurethane + fiberglass coreframe + Custom Shell HD + dual sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD	My Custom Fit 3D seamless pro	SENSE 45MM	4 riveted aluminium 3D	
	S/PRO HV 100 GW	L47059300	Black Belluga Grey	100	102 /108	24.5 to 33.5	1810	Coreframe 360° Custom shell HD shell & cuff Seamless liner Dual Sensifit Insert	Polyurethane + fiberglass coreframe + Custom Shell HD + dual sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD	My Custom Fit 3D seamless perf	SENSE 35MM	4 riveted aluminium 3D	
PERFORMANCE HIGH VOLUME	SELECT HV													
	SELECT HV 90	L41499800	Black Belluga Rainy Day	90	102	24.5 to 31.5	1870	Dual Sensifit Insert Autostrech liner Calf adjuster	Polyolefin + dual sensifit insert	Polyolefin + calf adjuster	My Instant Fit Sport	SENSE 35MM	4 riveted aluminium 3D	
	SELECT HV 80	L47102300	Black White Blue	90	100 /106	24.5 to 31.5	1870	Dual Sensifit Insert Autostrech liner Adjustable cuff spoiler	Polyolefin + dual sensifit insert	Polyolefin + adjustable spoiler	My Thermic Fit	SENSE 35MM		
PERFORMANCE HIGH VOLUME	S/PRO HV W													
	S/PRO HV 100 W GW	L41486900	Black Rose gold metal Belluga	100	102 /108	22.5 to 27.5	1570	Coreframe Custom shell HD Seamless liner Dual Sensifit Insert	Polyurethane + fiberglass coreframe + Custom Shell HD + dual sensifit insert	Polyurethane	My Custom Fit 3D seamless pro	SENSE 35MM	4 riveted aluminium 3D Tool free tooth adjustment	
	S/PRO HV 90 W GW	L47102500	Black Belluga Golden Glow	90	102 /108	22.5 to 27.5	1570	Coreframe Custom shell HD Seamless liner Dual Sensifit Insert	Polyurethane + fiberglass coreframe + Custom Shell HD + dual sensifit insert	Polyurethane	My Custom Fit 3D seamless perf	SENSE 35MM	4 riveted aluminium 3D 1 riveted ratchet Tool free tooth adjustment	
PERFORMANCE HIGH VOLUME	SELECT HV W													
	SELECT HV 80 W	L41500400	Black Lavender Belluga	80	102	22.5 to 27.5	1540	Dual Sensifit Insert Autostrech liner Calf adjuster	Polyolefin + dual sensifit insert	Polyolefin + calf adjuster	My Instant Fit Sport	SENSE 35MM	4 riveted aluminium Tool free tooth adjustment	
	SELECT HV 70 W	L41500700	Black Sterling Blue Belluga	70	102	22.5 to 27.5	1540	Dual Sensifit Insert Autostrech liner Calf adjuster	Polyolefin + dual sensifit insert	Polyolefin + calf adjuster	My Instant Fit Comfort	SENSE 35MM	4 riveted aluminium Tool free tooth adjustment	

TOURING S/LAB MTN



S/LAB MTN
L41486400

S/LAB MTN SUMMIT
L47042900

NEW

TOURING MTN SUMMIT PRO / SUMMIT PURE



MTN SUMMIT PRO
L47043100

NEW

MTN SUMMIT PRO W
L47043700

NEW

MTN SUMMIT PURE
L47043400

NEW

MTN SUMMIT PURE W
L47043800

NEW

NAME	REFERENCE	COLOR	FLEX	LAST	SIZES	WEIGHT [g]	TECHNOLOGIES	SHELL	CUFF	LINER	Strap	BUCKLES
TOURING S/LAB MTN												
S/LAB MTN	L41486400	Black Rainy day Red	120	98 /104	24.5 to 29.5	1570	Custom shell HD Carbon spine backcountry design Motion Flex Surelock skiwalk mechanism	Grilamid + Custom Shell HD Integrated tech inserts	Pebax	My Custom Fit 3D free-touring	50MM DUAL CLAW	2 riveted lights + lock system
S/LAB MTN SUMMIT	L47042900	Black Anthracite Transcend blue	-	99 /105	22.5 to 30.5	1050	Custom shell HD shell & cuff Touring belt BOA® fit system	Ultramid + Custom Shell HD Waterproof gaiter Full rubber sole (30% recycled)	Frictionless pivots Carbon fiber charged spine Ultramid + Custom Shell HD	My Custom Fit Tour light	DUAL POWER STRAP 70MM	1 riveted light
MTN SUMMIT PRO	L47043100	Rainy day Belluga Pastel neon green 1	-	99 /105	24.5 to 30.5	1100	Custom shell HD shell & cuff Touring belt BOA® fit system	Ultramid + Custom Shell HD Waterproof gaiter Full rubber sole (30% recycled)	Ultramid Frictionless pivots Fiberglass spine	My Custom Fit Tour Pro	POWER-STRAP 45MM + POWER-PLATE	1 riveted light
MTN SUMMIT PRO W	L47043700	Rainy day Belluga Angel blue	-	99 /105	22.5 to 27.5	1020	Custom shell HD shell & cuff Touring belt BOA® fit system	Ultramid + Custom Shell HD Waterproof gaiter Full rubber sole (30% recycled)	Frictionless pivots Fiberglass spine Ultramid + Custom Shell HD	My Custom Fit Tour Pro W	DUAL POWER STRAP 45MM + POWER-PLATE	1 riveted light
MTN SUMMIT PURE	L47043400	Black Pastel neon green 1 Rainy day	-	99 /105	24.5 to 30.5	1200	Custom shell HD shell & cuff Touring belt BOA® fit system	Ultramid + Custom Shell HD Waterproof gaiter Full rubber sole (30% recycled)	Recycled polyurethane + Custom Shell HD Frictionless pivots Fiberglass spine	My Custom Fit Tour Pure	POWER-STRAP 45MM	1 riveted light
MTN SUMMIT PURE W	L47043800	Black Angel blue Rainy day	-	99 /105	22.5 to 27.5	1120	Custom shell HD shell & cuff Touring belt BOA® fit system	Waterproof gaiter Full rubber sole (30% recycled) Recycled polyurethane + Custom Shell HD	Recycled polyurethane + Custom Shell HD Frictionless pivots Fiberglass spine	My Custom Fit Tour Pure W	POWER-STRAP 45MM	1 riveted light



KEY FEATURES

- 70° range of motion.
- Carbon spine with adjustable forward lean.
- Custom Shell HD.



TOURING BELT

Linked to the Boa fastening system, the rubber Touring Belt secures the heel perfectly in the boot providing unmatched hold, avoiding in boot friction while touring and offering great downhill performance.



SURELOCK SKI WALK MECHANISM

The horizontal position of our ski walk mechanism allows for quick, easy transition and a progressive flex on the way down.

FREERIDE SHIFT PRO



SHIFT PRO 130 AT
L47000500

NEW



SHIFT PRO 120 AT
L47000600

NEW



SHIFT PRO 110 AT
L47000700

NEW



SHIFT PRO 100 AT
L47000800

NEW

FREERIDE SHIFT PRO W



SHIFT PRO 110 W AT
L47001000

NEW



SHIFT PRO 100 W AT
L47001100

NEW



SHIFT PRO 90 W AT
L47002300

NEW

ALL MOUNTAIN COMFORT QST ACCESS



QST ACCESS 80
L40851500



QST ACCESS 70
L40851600



QST ACCESS 70 W
L40851900



QST ACCESS 60 W
L40852000

	NAME	REFERENCE	COLOR	FLEX	LAST	SIZES	WEIGHT (boot) [g]	TECHNOLOGIES	SHELL	CUFF	LINER	Strap	BUCKLES	
FREERIDE	SHIFT PRO													
	SHIFT PRO 130 AT	L47000500	Rainy day black Solar Power	130	100 /106	22.5 to 31.5	1690	Coreframe Custom shell HD Surelock skiwalk mechanism Sensifit insert My Custom Fit 4D liner	Integrated tech inserts Midgrip sole Polyamid + XECARB® Composite coreframe + Custom Shell HD + sensifit insert	Polyolefin Polyamid spine 2 hiking hook	My Custom Fit 4D Race Sensitive² footbed Walk function & lace loops	CLAW 45MM	4 riveted aluminium 3D	
	SHIFT PRO 120 AT	L47000600	Belluga Black Solar power	120	100 /106	24.5 to 31.5	1760	Coreframe Custom shell HD Surelock skiwalk mechanism Sensifit insert My Custom Fit 4D liner	Polyurethane + fiberglass coreframe + Custom Shell HD + sensifit insert Integrated tech inserts Midgrip sole	Polyolefin Polyamid spine 2 hiking hook	My Custom Fit 4D Pro Light² footbed Walk function & lace loops	360° 45MM	4 riveted aluminium 3D	
	SHIFT PRO 110 AT	L47000700	Coppen blue Black Solar power	110	100 /1069	24.5 to 31.5	1750	Coreframe Custom shell HD Surelock skiwalk mechanism Sensifit insert My Custom Fit 4D liner	Polyurethane + fiberglass coreframe + Custom Shell HD + sensifit insert	Polyolefin Polyamid spine	My Custom Fit 4D Perf Walk function & lace loops Thermosoft footbed	360J 45MM	4 riveted aluminium 3D 1 hiking hook	
	SHIFT PRO 100 AT	L47000800	Oil green Black Solar power	100	100 /106	24.5 to 31.5	1777	Coreframe Custom shell HD Seamless liner Surelock skiwalk mechanism Sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD + sensifit insert Integrated tech inserts	Polyolefin Polyamid spine	My Custom Fit 3D seamless perf Thermosoft footbed	360° 35MM	4 riveted aluminium 3D 1 hiking hook	
FREERIDE	SHIFT PRO W													
	SHIFT PRO 110 W AT	L47001000	Tender yellow Black White	110	100 /106	22.5 to 27.5	1570	Custom shell HD Surelock skiwalk mechanism Integrated tech inserts	Polyurethane + fiberglass coreframe + Custom Shell HD + sensifit insert Integrated tech inserts Midgrip sole	Polyolefin Polyamid spine	My Custom Fit 3D Seamless Pro with walk function	360° 45mm	4 riveted aluminium 3D 2 hiking hooks	
	SHIFT PRO 100 W AT	L47001100	White moss Black White	100	100 /106	22.5 to 27.5	1600	Coreframe Custom shell HD Surelock skiwalk mechanism Sensifit insert My Custom Fit 4D liner	Polyurethane + fiberglass coreframe + Custom Shell HD + sensifit insert	Polyolefin Polyamid spine	My Custom Fit 4D Perf Walk function & lace loops Thermosoft footbed	360° 45MM	4 riveted aluminium 3D 1 hiking hook	
	SHIFT PRO 90 W AT	L47002300	Black White moss Belluga	90	100 /106	22.5 to 27.5	1600	Coreframe Custom shell HD Seamless liner Surelock skiwalk mechanism Sensifit insert	Polyurethane + fiberglass coreframe + Custom Shell HD + sensifit insert Integrated tech inserts	Polyolefin Polyamid spine	My Custom Fit 3D seamless perf	360° 35MM	4 riveted aluminium 3D 1 hiking hook	
ALL MOUNTAIN	QST ACCESS													
	QST ACCESS 80	L40851500	Black Beluga Acid Green	80	104	25.5 to 31.5	1650	Hike and ride	Polyolefin + easy step-in overlap	Polyolefin	My Custom Fit comfort	360° 35MM	2 riveted alumix + 1 ratchet	
	QST ACCESS 70	L40851600	Black Anthracite Translucent Orange	70	104	25.5 to 31.5	1680	Hike and ride	Polyolefin + easy step-in overlap	Polyolefin	My Custom Fit comfort	360° 35MM	3 riveted alumix Tool free tooth adjustment	
	QST ACCESS 70 W	L40851900	Black Petrol blue Shooting Sea	70	104	22.5 to 27.5	1560	Hike and ride	Polyolefin + easy step-in overlap	Polyolefin	My Custom Fit comfort	360° 35MM	2 riveted alumix + 1 ratchet	
	QST ACCESS 60 W	L40852000	White Anthracite Translucent Burgundy	60	104	22.5 to 27.5	1580	Hike and ride	Polyolefin + easy step-in overlap	Polyolefin	My Custom Fit comfort	360° 35MM	3 riveted alumix	

JUNIOR PERFORMANCE SHIFT PRO



SHIFT PRO 80T AT
L47049500
NEW

JUNIOR PERFORMANCE QST ACCESS



QST ACCESS 70 T
L47049100
NEW

JUNIOR PERFORMANCE S/MAX



S/MAX 65
L47102100



S/MAX 60 RT
L47048400



S/MAX 60T L
L47051600



S/MAX 60T M
L47051500

JUNIOR T RANGE



TEAM T3
L41177800



TEAM T2
L41177900



T3 RT
L41179300



T2 RT
L41179500



T1
L41178100



T3 RT GIRLY
L41179400



T2 RT GIRLY
L41179600



T1 GIRLY
L41178000


	NAME	REFERENCE	COLOR	FLEX	LAST	SIZES	WEIGHT (/boot) [g]	TECHNOLOGIES	SHELL	CUFF	LINER	Strap	BUCKLES
JUNIOR	SHIFT PRO												
	SHIFT PRO 80T AT	L47049500	Rainy day black Solar Power	80 JR	100	22.5 to 28.5	1555	Surelock skiwalk mechanism SensiFit insert	Polyurethane + sensiFit insert Integrated tech inserts	Polyolefin Polyamid spine	My Thermic Fit Jr	360° 28MM	4 riveted aluminium 3D 1 hiking hook
	QST ACCESS												
	QST ACCESS 70 T	L47049100	Coppen blue Black Orange	70	104	22.5 to 28.5	1580	Hike and ride	Polyolefin + easy step-in overlap	Polyolefin	My Thermic Fit Jr	360° 35MM	2 riveted alumix + 1 vario
	S/MAX												
	S/MAX 65	L47102100	Black Orange	65	KID	21.5 to 28.5	1940	-	Polyurethane	Polyolefin	My Thermic Fit Jr	360° 28MM	4 riveted aluminium 3D
	S/MAX 60 RT	L47048400	Black Process Blue	60	KID	22.5 to 26.5	1940	Twinframe	Polyurethane	Polyolefin	My Thermic Fit Jr	360° 28MM	4 riveted plastic
	S/MAX 60T L	L47051600	White Race blue Process blue	60	KID	22.5 to 26.5	1940	Twinframe	Polyolefin	Polyolefin	My Thermic Fit Jr	360° 28MM	4 riveted plastic
	S/MAX 60T M	L47051500	White Race blue Process blue	60	KID	18 to 21	1550	Twinframe	Polyolefin	Polyolefin	My Thermic Fit Jr	NO STRAP	4 riveted plastic
	T RANGE												
	TEAM T3	L41177800	Black White	30 JR	KID	22.5 to 26.5	1180	-	Polyolefin	Polyolefin	My Thermic Fit Jr	NO	3 riveted vario plastic
	TEAM T2	L41177900	Black White	20 JR	KID	18 to 21	900	-	Polyolefin	Polyolefin	My Thermic Fit Jr	NO	2 riveted vario plastic
	T3 RT	L41179300	Black Red White	30 JR	KID	22.5 to 26.5	1020	-	Polyolefin	Polyolefin	My Thermic Fit Jr + loop on tongue	NO	3 riveted vario plastic
	T2 RT	L41179500	Black Red White	20 JR	KID	18 to 21	795	-	Polyolefin	Polyolefin	My Thermic Fit Jr + loop on tongue	NO	2 riveted vario plastic
T1	L41178100	Race Blue White	10 JR	KID	14.5 to 18	580	-	Polyolefin	Polyolefin	My Thermic Fit Jr	NO	1 riveted ratchet	
T3 RT GIRLY	L41179400	Rose Violet White	20 JR	KID	22.5 to 26.5	795	-	Polyolefin	Polyolefin	My Thermic Fit Jr + loop on tongue	NO	2 riveted vario plastic	
T2 RT GIRLY	L41179600	Rose Violet White	20 JR	KID	18 to 21	795	-	Polyolefin	Polyolefin	My Thermic Fit Jr + loop on tongue	NO	2 riveted vario plastic	
T1 GIRLY	L41178000	White Scuba Blue	10 JR	KID	15 to 18	580	-	Polyolefin	Polyolefin	My Thermic Fit Jr	NO	1 riveted ratchet	

POLE TECHNOLOGY INDEX

SAFETY & CONVENIENCE



S3 STRAP
Salomon's safety, auto release strap protects you from injury if your pole gets stuck in a net or tree.



ERGO S3 GRIP
The ERGO S3 grip with adjustable safety spring release system provides easy strap entry, is adjustable to all glove sizes and allows quick, one handed click in and click out.



EASYLOCK SYSTEM
Easily adjusts the length of your pole for better use.

CONSTRUCTION



CARBON
Stiffest and Lightest construction available.



ALUMINIUM****
The Aluminium**** series is 40% stronger and 10% Lighter than Alu**.



ALUMINIUM**
The Aluminium** series Provides strength and Lightness.

POLE SIZING CHARTS

SKIER'S HEIGHT (cm)	POLE'S HEIGHT (cm)
More than 200cm	140
190 to 200 cm	135
185 to 190 cm	130
175 to 185 cm	125
170 to 175 cm	120
160 to 170 cm	115
155 to 160 cm	110
145 to 155 cm	105
135 to 145 cm	100
125 to 135 cm	95
115 to 125 cm	90
105 to 115 cm	85
Less than 105 cm	80





TOURING MTN

MTN CARBON S3
L47022600
NEW



MTN ALU S3
L47023100
NEW



MTN ALU S3
L47023000
NEW



FREERIDE HACKER S3

HACKER S3
L41525100



HACKER S3
L41525200



HACKER S3
L47022700



	NAME	REFERENCE	COLOR	SIZES (cm)	SHAFT	GRIP	STRAP	BASKET	TIP	FEATURES	
TOURING	MTN										
	MTN CARBON S3	L47022600	Black	NS	Carbon **** Easy lock system Kevlar reinforcement Lower shaft carbon ****14mm Upper shaft carbon ****16mm	Foam extension S3 Rubber and foam grip	S3 premium strap	Articulated backside basket	Carbide/wid-ia tip	Carbon **** S3 premium strap S3 Rubber and foam grip	
	MTN ALU S3	L47023100	Bleached Aqua	NS	Recycled alu**** 16 -14mm Easy lock system	3 Dual regrinded grip	S3 recycled PE comfort strap	Interchangeable asymmetrical regrinded basket	Carbine/widia tip	Recycled alu**** S3 Dual regrinded grip Easy lock system	
	MTN ALU S3	L47023000	Rainy Day	NS	Recycled alu**** 16 -14mm Easy lock system	S3 Dual regrinded grip	S3 recycled PE comfort strap	Interchangeable asymmetrical regrinded basket	Carbine/widia tip	Recycled alu**** S3 Dual regrinded grip Easy lock system	
FREERIDE	HACKER S3										
	HACKER S3	L41525100	Black	100 105 110 115 120 125 130 135	Alu **** Shaft diameter: 18mm	S3 dual material grip	S3 confort strap	Interchangeable basket system Backside basket	Standard tip	Alu **** Backside basket S3 dual material grip	
	HACKER S3	L41525200	Orange	100 105 110 115 120 125 130 135	Alu **** Shaft diameter: 18mm	S3 dual material grip	S3 confort strap	Interchangeable basket system Backside basket	Standard tip	Alu **** Backside basket S3 dual material grip	
	HACKER S3	L47022700	Duck Green	100 105 110 115 120 125 130 135	Alu **** Shaft diameter: 18mm	S3 dual material grip	S3 confort strap	Interchangeable basket system Backside basket	Standard tip	Alu **** Backside basket S3 dual material grip	

FREERIDE ARCTIC

ARCTIC S3 XL
L41172800



FREERIDE ANGEL

ANGEL S3 XL BEIGE
L41530100



FREERIDE HACKER

HACKER
L40828700



HACKER
L40863100



HACKER
L40863200



	NAME	REFERENCE	COLOR	SIZES (cm)	SHAFT	GRIP	STRAP	BASKET	TIP	FEATURES	
FREERIDE	ARCTIC S3 XL										
	ARCTIC S3 XL	L41172800	Grey	110 115 120 125 130 135	Alu ** Shaft diameter: 18mm	S3 dual material grip	S3 strap	Interchangeable basket system Backside basket	Standard tip	Alu ** Backside basket S3 dual material grip	
	ANGEL										
	ANGEL S3 XL BEIGE	L41530100	Rainy Day	100 105 110 115 120 125	Alu ** Shaft diameter: 16mm	S3 dual material women grip	S3 strap	Interchangeable basket system Backside basket	Standard tip	Alu ** Backside basket S3 dual material women grip	
	HACKER										
	HACKER	L40828700	Black	100 105 110 115 120 125 130 135	Alu ** Shaft diameter: 18mm	Dual material backside grip	Standard strap	Interchangeable basket system Backside basket	Standard tip	Dual material backside grip Alu ** Backside basket	
	HACKER	L40863100	Blue	100 105 110 115 120 125 130 135	Alu ** Shaft diameter: 18mm	Dual material backside grip	Standard strap	Interchangeable basket system Backside basket	Standard tip	Dual material backside grip Alu ** Backside basket	
	HACKER	L40863200	Grey	100 105 110 115 120 125 130 135	Alu ** Shaft diameter: 18mm	Dual material backside grip	Standard strap	Interchangeable basket system Backside basket	Standard tip	Dual material backside grip Alu ** Backside basket	

ALL MOUNTAIN ARCTIC S3

ARCTIC S3
L41530000



ARCTIC S3
L41530500



ALL MOUNTAIN ANGEL S3

ANGEL S3
L41525000



ANGEL S3
L40827400



ALL MOUNTAIN ARCTIC

ARCTIC
L40559000



ARCTIC
L40558800



ARCTIC
L40559200



ARCTIC
L40559100



	NAME	REFERENCE	COLOR	SIZES (cm)	SHAFT	GRIP	STRAP	BASKET	TIP	FEATURES	
ALL MOUNTAIN	ARCTIC S3										
	ARCTIC S3	L41530000	Black	110 115 120 125 130 135	Alu ** Shaft diameter: 18mm	S3 dual material grip	S3 strap	Interchangeable basket system All mountain basket	Standard tip	Alu ** S3 strap S3 dual material grip	
	ARCTIC S3	L41530500	Gun Metal	110 115 120 125 130 135	Alu ** Shaft diameter: 18mm	S3 dual material grip	S3 strap	Interchangeable basket system All mountain basket	Standard tip	Alu ** S3 strap S3 dual material grip	
	ANGEL S3										
	ANGEL S3	L41525000	Black	100 105 110 115 120 125	Alu ** Shaft diameter: 16mm	S3 dual material women grip	S3 strap	Interchangeable basket system All mountain women basket	Standard tip	Alu ** S3 strap S3 dual material women grip	
	ANGEL S3	L40827400	Fig	100 105 110 115 120 125	Alu ** Shaft diameter: 16mm	S3 dual material women grip	S3 strap	Interchangeable basket system All mountain women basket	Standard tip	Alu ** S3 strap S3 dual material women grip	
	ARCTIC										
	ARCTIC	L40559000	Black	110 115 120 125 130 135	Alu ** Shaft diameter: 18mm	Dual material all mountain grip	Standard strap	Interchangeable basket system All mountain basket	Standard tip	Dual material all mountain grip Alu ** All mountain basket	
	ARCTIC	L40558800	Blue	110 115 120 125 130 135	Alu ** Shaft diameter: 18mm	Dual material all mountain grip	Standard strap	Interchangeable basket system All mountain basket	Standard tip	Dual material all mountain grip Alu ** All mountain basket	
	ARCTIC	L40559200	Yellow	110 115 120 125 130 135	Alu ** Shaft diameter: 18mm	Dual material all mountain grip	Standard strap	Interchangeable basket system All mountain basket	Standard tip	Dual material all mountain grip Alu ** All mountain basket	
ARCTIC	L40559100	Orange	110 115 120 125 130 135	Alu ** Shaft diameter: 18mm	Dual material all mountain grip	Standard strap	Interchangeable basket system All mountain basket	Standard tip	Dual material all mountain grip Alu ** All mountain basket		

ALPINE POLES

ALL MOUNTAIN ARCTIC LADY

ARCTIC LADY
L41174000



ARCTIC LADY
L41174200



ARCTIC LADY
L41174300



RESORT X NORTH

X NORTH
L40559300



X NORTH
L40559400



RESORT NORTHPOLE LADY

NORTHPOLE LADY
L40560100



NORTHPOLE LADY
L40560200



	NAME	REFERENCE	COLOR	SIZES (cm)	SHAFT	GRIP	STRAP	BASKET	TIP	FEATURES	
ALL MOUNTAIN	ARCTIC LADY										
	ARCTIC LADY	L41174000	Black	100 105 110 115 120 125	Alu ** Shaft diameter: 16mm	Dual material all mountain women grip	Standard strap	Interchangeable basket system All mountain women basket	Standard tip	Alu ** Dual material all mountain women grip All mountain women basket	
	ARCTIC LADY	L41174200	Grey	100 105 110 115 120 125	Alu ** Shaft diameter: 16mm	Dual material all mountain women grip	Standard strap	Interchangeable basket system All mountain women basket	Standard tip	Alu ** Dual material all mountain women grip All mountain women basket	
	ARCTIC LADY	L41174300	White	100 105 110 115 120 125	Alu ** Shaft diameter: 16mm	Dual material all mountain women grip	Standard strap	Interchangeable basket system All mountain women basket	Standard tip	Alu ** Dual material all mountain women grip All mountain women basket	
RESORT	X NORTH										
	X NORTH	L40559300	Black	110 115 120 125 130 135	Alu ** Shaft diameter: 18mm	Mono material all mountain grip	Standard strap	Interchangeable basket system All mountain basket	Standard tip	Alu ** All mountain basket Mono material all mountain grip	
	X NORTH	L40559400	White	110 115 120 125 130 135	Alu ** Shaft diameter: 18mm	Mono material all mountain grip	Standard strap	Interchangeable basket system All mountain basket	Standard tip	Alu ** All mountain basket Mono material all mountain grip	
	NORTHPOLE LADY										
	NORTHPOLE LADY	L40560100	Black	100 105 110 115 120 125	Alu ** Shaft diameter: 16mm	Mono material all mountain women grip	Standard strap	Interchangeable basket system All mountain women basket	Standard tip	Alu ** All mountain women basket Mono material all mountain women grip	
	NORTHPOLE LADY	L40560200	Grey	100 105 110 115 120 125	Alu ** Shaft diameter: 16mm	Mono material all mountain women grip	Standard strap	Interchangeable basket system All mountain women basket	Standard tip	Alu ** All mountain women basket Mono material all mountain women grip	

JUNIOR MTN

MTN JR
L41530200



MTN JR
L41530300



JUNIOR BRIGADE

BRIGADE JR
L40827800



BRIGADE JR
L40827900



JUNIOR KALOO

KALOO JUNIOR
L41174600



KALOO JUNIOR
L41174700



NAME	REFERENCE	COLOR	SIZES (cm)	SHAFT	GRIP	STRAP	BASKET	TIP	FEATURES
JUNIOR MTN									
MTN JR	L41530200	Copen Blue	NS	Alu ** Shaft diameter: 14mm or 16 mm Easy lock system	Junior 4 fingers grip	Junior strap	Junior basket	Standard tip	Junior strap Easy lock system Junior 4 fingers grip
MTN JR	L41530300	Pink	NS	Alu ** Shaft diameter: 14mm or 16 mm Easy lock system	Junior 4 fingers grip	Junior strap	Junior basket	Standard tip	Junior strap Easy lock system Junior 4 fingers grip
JUNIOR BRIGADE									
BRIGADE JR	L40827800	Pink	80 85 90 95 100 105 110	Alu ** Shaft diameter: 16mm	Junior 4 fingers grip	Junior strap	Junior basket Interchangeable basket system	Standard tip	Junior basket Alu ** Junior 4 fingers grip
BRIGADE JR	L40827900	Blue	80 85 90 95 100 105 110	Alu ** Shaft diameter: 16mm	Junior 4 fingers grip	Junior strap	Junior basket Interchangeable basket system	Standard tip	Junior basket Alu ** Junior 4 fingers grip
JUNIOR KALOO									
KALOO JUNIOR	L41174600	Blue	70 75 80 85 90 95 100 105	Alu ** Shaft diameter: 14mm or 16 mm	Kids grip	Junior strap	Kids basket	Standard tip	Kids basket Alu ** Kids grip
KALOO JUNIOR	L41174700	Pink	70 75 80 85 90 95 100 105	Alu ** Shaft diameter: 14mm or 16 mm	Kids grip	Junior strap	Kids basket	Standard tip	Kids basket Alu ** Kids grip

ALPINE POLES

**FREERIDE
HACKER**



**HACKER BOX
(24 POLES)**
L41540700

HACKER BOX 24 PAIRS OF POLES			
4 X 115 cm	2	1	1
8 X 120 cm	3	2	3
8 X 125 cm	4	1	3
4 X 130 cm	1	1	2

**ON PISTE
ARCTIC**



**ARCTIC BOX
(24 POLES)**
L41540600

ARCTIC BOX 24 PAIRS OF POLES			
4 X 115 cm	1	1	1
8 X 120 cm	3	2	1
8 X 125 cm	3	1	2
4 X 130 cm	1	1	1

**ON PISTE WOMEN
ARCTIC**



**ARCTIC LADY
BOX (24 BOX)**
L41187500

ARCTIC W BOX 24 PAIRS OF POLES		
8 X 110 cm	3	2
9 X 115 cm	3	3
7 X 120 cm	3	2

**JUNIOR
KALOO**



**KALOO JR BOX
CO (24 POLES)**
L41194000

KALOO JUNIOR BOX 24 PAIRS OF POLES	
3 X 85 cm	2
3 X 90 cm	1
6 X 95 cm	2
6 X 100 cm	2
6 X 105 cm	1

	NAME	REFERENCE	COLOR	SIZES (cm)	SHAFT	GRIP	STRAP	BASKET	TIP	FEATURES
FREERIDE	HACKER									
	HACKER BOX (24 POLES)	L41540700	Black Blue Grey	100 to 135	Alu ** Shaft Diameter: 18mm	Dual Material Backside Grip	Standard Strap	Interchangeable Basket System Backside Basket	Standard Tip	Dual Material Backside Grip Alu ** Backside Basket
ON PISTE	ARCTIC									
	ARCTIC BOX (24 POLES)	L41540600	Black Orange Blue Yellow	110 to 135	Alu ** Shaft Diameter: 18mm	Dual Material All Mountain Grip	Standard Strap	Interchangeable Basket System All Mountain Basket	Standard Tip	Dual Material All Mountain Grip Alu ** All Mountain Basket
ON PISTE WOMEN	ARCTIC LADY									
	ARCTIC LADY BOX (24 BOX)	L41187500	Black Grey White	100 to 125	Alu ** Shaft Diameter: 16mm	Dual Material All Mountain Women Grip	Standard Strap	Interchangeable Basket System All Mountain Women Basket	Standard Tip	Alu ** Dual Material All Mountain Women Grip All Mountain Women Basket
JUNIOR	KALOO									
	KALOO JR BOX CO (24 POLES)	L41194000	Pink Blue	70 to 105	Alu ** Shaft Diameter: 14 or 16 mm	Kids Grip	Junior Strap	Kids Basket	Standard Tip	Kids Basket Alu ** Kids Grip

DRIVER PRIME SIGMA PHOTO MIPS

Perfect Integration. Pristine vision. Premium protection.

Featuring MIPS protection and our patented Sigma lens technology, we seamlessly integrated all of the latest technologies and protection into a premium and performance driven design.



SALOMON

HUSK PRIME MIPS

A clean, minimalist design pairs up with our most technical construction - MIPS + Smart Safety 360 + EPS 4D - and advanced fit features - BOA 360 + Dual Active Ventilation + Fidlock Magnetic Buckle - delivering a helmet that offers protection, performance and comfort in a sleek, freeride inspired silhouette.



Mips

SALOMON

INTEGRATED DRIVER PRIME MIPS



Mips

DRIVER PRIME SIGMA PHOTO MIPS

NEW L47007600



Mips

DRIVER PRIME SIGMA PHOTO MIPS

NEW L47010000



Mips

DRIVER PRIME SIGMA PHOTO MIPS

NEW L47010200



Mips

DRIVER PRIME SIGMA PHOTO MIPS

NEW L47010300

INTEGRATED DRIVER PRO MIPS



Mips

DRIVER PRO SIGMA MIPS

NEW L47011300



Mips

DRIVER PRO SIGMA MIPS

NEW L47011400



Mips

DRIVER PRO SIGMA MIPS

NEW L47011500



Mips

DRIVER PRO SIGMA MIPS

NEW L47011600

	NAME	REFERENCE	COLOR	SIZES	WEIGHT (g)	SAFETY TECHNO	FIT	SHELL CONSTRUCTION	LENS	WEATHER	LINING	KEY FEATURES
INTEGRATED DRIVER	DRIVER PRIME SIGMA PHOTO MIPS	L47007600	Black	S-L	750	EPS4D MIPS Smart Safety 360 FIDLOCK	MaxFit Construction BOA 360 Oval Fit	Hybrid construction	Sigma Photo Sky blue	All Weather ☁️🌧️☀️	Merino wool Removable/washable	SIGMA Photochromic technology Interchangeable magnetic lens system Motion shield advanced
	DRIVER PRIME SIGMA PHOTO MIPS	L47010000	White	S-L	750	EPS4D MIPS Smart Safety 360 FIDLOCK	MaxFit Construction BOA 360 Oval Fit	Hybrid construction	Sigma Photo Poppy red	All Weather ☁️🌧️☀️	Merino wool Removable/washable	SIGMA Photochromic technology Interchangeable magnetic lens system Motion shield advanced
	DRIVER PRIME SIGMA PHOTO MIPS	L47010200	Grey	S-L	750	EPS4D MIPS Smart Safety 360 FIDLOCK	MaxFit Construction BOA 360 Oval Fit	Hybrid construction	Sigma Photo Poppy red	All Weather ☁️🌧️☀️	Merino wool Removable/washable	SIGMA Photochromic technology Interchangeable magnetic lens system Motion shield advanced
	DRIVER PRIME SIGMA PHOTO MIPS	L47010300	White Moss	S-L	750	EPS4D MIPS Smart Safety 360 FIDLOCK	MaxFit Construction BOA 360 Oval Fit	Hybrid construction	Sigma Photo Sky blue	All Weather ☁️🌧️☀️	Merino wool Removable/washable	SIGMA Photochromic technology Interchangeable magnetic lens system Motion shield advanced
DRIVER PRO	DRIVER PRO SIGMA MIPS	L47011300	Black	S-L	720	EPS4D MIPS Smart Safety	Oval fit MaxFit Construction Integrated Custom Dial 360	Hybrid construction	Sigma black bronze	Solar ☁️🌧️☀️	Removable/washable Advance skin activedry	SIGMA Technology MIPS Integrated Custom Dial 360
	DRIVER PRO SIGMA MIPS	L47011400	White	S-L	720	EPS4D MIPS Smart Safety	Oval fit MaxFit Construction Integrated Custom Dial 360	Hybrid construction	Sigma sky blue	Universal ☁️🌧️☀️	Advancedskin activedry Removable/washable	SIGMA Technology MIPS Integrated Custom Dial 360
	DRIVER PRO SIGMA MIPS	L47011500	Dress Blue Black	S-L	720	EPS4D MIPS Smart Safety	Oval fit MaxFit Construction Integrated Custom Dial 360	Hybrid construction	Sigma poppy red	Universal ☁️🌧️☀️	Advancedskin activedry Removable/washable	SIGMA Technology MIPS Integrated Custom Dial 360
	DRIVER PRO SIGMA MIPS	L47011600	Black Rose Gold	S-L	720	EPS4D MIPS Smart Safety	Oval fit MaxFit Construction Integrated Custom Dial 360	Hybrid construction	Sigma silver pink	Low Light ☁️🌧️☀️	Advancedskin activedry Removable/washable	SIGMA Technology MIPS Integrated Custom Dial 360

FREERIDE HUSK PRIME MIPS



HUSK PRIME MIPS
NEW L47013600

HUSK PRIME MIPS
NEW L47013700

HUSK PRIME MIPS
NEW L47013800

HUSK PRIME MIPS
NEW L47046300

FREERIDE HUSK PRO MIPS



HUSK PRO MIPS
NEW L47014100

HUSK PRO MIPS
NEW L47014200

HUSK PRO MIPS
NEW L47014300

FREERIDE MTN LAB



MTN LAB
NEW L47014500

MTN LAB
NEW L47014600

MTN LAB
NEW L47014800

	NAME	REFERENCE	COLOR	SIZES	WEIGHT (g)	SAFETY TECHNO	FIT	SHELL CONSTRUCTION	VENTILATION	LINING	KEY FEATURES	
FREERIDE	HUSK											
	HUSK PRIME MIPS	L47013600	Black	S-L	430	EPS4D MIPS Smart Safety 360	Oval fit MaxFit Construction BOA 360	Hybrid construction Thin shell technology	Active ventilation Airflow concept	Merino wool Removable/washable	MIPS Merino wool BOA 360	
	HUSK PRIME MIPS	L47013700	White	S-L	430	EPS4D MIPS Smart Safety 360	Oval fit MaxFit Construction BOA 360	Hybrid construction Thin shell technology	Active ventilation Airflow concept	Merino wool Removable/washable	MIPS Merino wool BOA 360	
	HUSK PRIME MIPS	L47013800	Duck Green	S-L	430	EPS4D MIPS Smart Safety 360	Oval fit MaxFit Construction BOA 360	Hybrid construction Thin shell technology	Active ventilation Airflow concept	Merino wool Removable/washable	MIPS Merino wool BOA 360	
	HUSK PRIME MIPS	L47046300	Evening Haze	S-L	430	EPS4D MIPS Smart Safety 360	Oval fit MaxFit Construction BOA 360	Hybrid construction Thin shell technology	Active ventilation Airflow concept	Merino wool Removable/washable	MIPS Merino wool BOA 360	
	HUSK PRO											
	HUSK PRO MIPS	L47014100	Black	S-L	430	EPS4D MIPS SMART safety	Oval fit MaxFit Construction Integrated Custom Dial 360	In-mold construction Thin shell technology	Active ventilation	Advancedskin activedry Removable/washable	Active ventilation MIPS Integrated Custom Dial 360	
	HUSK PRO MIPS	L47014200	White	S-L	430	EPS4D MIPS SMART safety	Oval fit MaxFit Construction Integrated Custom Dial 360	In-mold construction Thin shell technology	Active ventilation	Advancedskin activedry Removable/washable	Active ventilation MIPS Integrated Custom Dial 360	
	HUSK PRO MIPS	L47014300	Madder	S-L	430	EPS4D MIPS SMART safety	Oval fit MaxFit Construction Integrated Custom Dial 360	In-mold construction Thin shell technology	Active ventilation	Advancedskin activedry Removable/washable	Active ventilation MIPS Integrated Custom Dial 360	
	MTN LAB											
	MTN LAB	L47014500	Black	S-L	365	EPS4D	Custom Dial fit system Round fit	In-mold construction	Airflow concept Passive	+1 Extra summer liner Advancedskin activedry Integrated summer pads Merino wool Removable/washable	Custom Dial fit system EPS4D Merino wool Triple norms	
	MTN LAB	L47014600	Rainy Day	S-L	365	EPS4D	Custom Dial fit system Round fit	In-mold construction	Airflow concept Passive	+1 Extra summer liner Advancedskin activedry Integrated summer pads Merino wool Removable/washable	Custom Dial fit system EPS4D Merino wool Triple norms	
	MTN LAB	L47014800	Bleached Aqua	S-L	365	EPS4D	Custom Dial fit system Round fit	In-mold construction	Airflow concept Passive	+1 Extra summer liner Advancedskin activedry Integrated summer pads Merino wool Removable/washable	Custom Dial fit system EPS4D Merino wool Triple norms	

FREERIDE HUSK PRO



HUSK PRO
L41527900



HUSK PRO
L41528000



HUSK PRO
L47014000



HUSK PRO
L47013900



HUSK PRO
L41528400

FREERIDE BRIGADE / SPELL



BRIGADE
L40537200



BRIGADE
L41522900



BRIGADE
L41162800



SPELL
L41163000

	NAME	REFERENCE	COLOR	SIZES	WEIGHT (g)	SAFETY TECHNO	FIT	SHELL CONSTRUCTION	VENTILATION	LINING	KEY FEATURES	
FREERIDE	HUSK PRO											
	HUSK PRO	L41527900	Black	S-L	420	EPS4D SMART safety	Oval fit MaxFit Construction Integrated Custom Dial 360	In-mold construction Thin shell technology	Active ventilation	Advancedskin activedry Removable/washable	SMART safety MaxFit Construction Integrated Custom Dial 360	
	HUSK PRO	L41528000	White	S-L	420	EPS4D SMART safety	Oval fit MaxFit Construction Integrated Custom Dial 360	In-mold construction Thin shell technology	Active ventilation	Advancedskin activedry Removable/washable	SMART safety MaxFit Construction Integrated Custom Dial 360	
	HUSK PRO	L47014000	Red Orange	S-L	420	EPS4D SMART safety	Oval fit MaxFit Construction Integrated Custom Dial 360	In-mold construction Thin shell technology	Active ventilation	Advancedskin activedry Removable/washable	SMART safety MaxFit Construction Integrated Custom Dial 360	
	HUSK PRO	L47013900	Estate Blue	S-L	420	EPS4D SMART safety	Oval fit MaxFit Construction Integrated Custom Dial 360	In-mold construction Thin shell technology	Active ventilation	Advancedskin activedry Removable/washable	SMART safety MaxFit Construction Integrated Custom Dial 360	
	HUSK PRO	L41528400	Wrought Iron	S-L	420	EPS4D SMART safety	Oval fit MaxFit Construction Integrated Custom Dial 360	In-mold construction Thin shell technology	Active ventilation	Advancedskin activedry Removable/washable	SMART safety MaxFit Construction Integrated Custom Dial 360	
FREERIDE	BRIGADE / SPELL											
	BRIGADE	L40537200	Black	S-XL	430	EPS4D	Integrated Custom Dial Oval fit	Injected shell construction	Airflow concept Passive TCS (thermo control system)	Advancedskin activedry Removable/washable	Airflow concept EPS4D Injected shell construction	
	BRIGADE	L41522900	Mallard Blue	S-XL	430	EPS4D	Integrated Custom Dial Oval fit	Injected shell construction	Airflow concept Passive TCS (thermo control system)	Advancedskin activedry Removable/washable	Airflow concept EPS4D Injected shell construction	
	BRIGADE	L41162800	Red Orange	S-XL	430	EPS4D	Integrated Custom Dial Oval fit	Injected shell construction	Airflow concept Passive TCS (thermo control system)	Advancedskin activedry Removable/washable	Airflow concept EPS4D Injected shell construction	
SPELL	L41163000	Beige	S-M	430	EPS4D	Integrated Custom Dial Oval fit	Injected shell construction	Airflow concept Passive TCS (thermo control system)	Advancedskin activedry Removable/washable	Airflow concept EPS4D Injected shell construction		

JUNIOR HUSK



HUSK JR L47015100 **HUSK JR** L47015200 **HUSK JR** L47015300

JUNIOR GROM VISOR



GROM VISOR L39916300 **GROM VISOR** L40836900 **GROM VISOR** L40539600 **GROM VISOR** L39916200 **GROM VISOR** L40837000

JUNIOR GROM



GROM L39161800 **GROM** L40836500 **GROM** L40836800 **GROM** L39914900 **GROM** L40836600

	NAME	REFERENCE	COLOR	SIZES	WEIGHT (g)	SAFETY TECHNO	FIT	SHELL CONSTRUCTION	VENTILATION	LINING	KEY FEATURES	
JUNIOR	HUSK											
	HUSK JR	L47015100	Black	JRS - JRM	385	EPS4D TWICEME	Integrated Custom Dial Oval fit MaxFit Construction	In-mold construction Thin shell technology	Airflow concept Passive	Advancedskin active dry Removable/ washable	Integrated Custom Dial TWICEME MaxFit Construction	
	HUSK JR	L47015200	Neon Orange	JRS - JRM	385	EPS4D TWICEME	Integrated Custom Dial Oval fit MaxFit Construction	In-mold construction Thin shell technology	Airflow concept Passive	Advancedskin active dry Removable/ washable	Integrated Custom Dial TWICEME MaxFit Construction	
	HUSK JR	L47015300	Tropical Peach	JRS - JRM	385	EPS4D TWICEME	Integrated Custom Dial Oval fit MaxFit Construction	In-mold construction Thin shell technology	Airflow concept Passive	Advancedskin active dry Removable/ washable	Integrated Custom Dial TWICEME MaxFit Construction	

	NAME	REFERENCE	COLOR	SIZES	WEIGHT (g)	SAFETY TECHNO	FIT	SHELL CONSTRUCTION	LENS	WEATHER	LINING	KEY FEATURES
JUNIOR	GROM VISOR											
	GROM VISOR	L39916300	Black	KS - KL	435	EPS	Custom Dial fit system Oval fit	In-mold construction	Tonic Orange	Universal ☼	Comfortable integral lining Removable/ washable	EPS Airflow concept In-mold construction
	GROM VISOR	L40836900	Flame	KS - KL	435	EPS	Custom Dial fit system Oval fit	In-mold construction	Tonic Orange	Universal ☼	Comfortable integral lining Removable/ washable	EPS Airflow concept In-mold construction
	GROM VISOR	L40539600	Pop Blue Mat	KS - KL	435	EPS	Custom Dial fit system Oval fit	In-mold construction	Tonic Orange	Universal ☼	Comfortable integral lining Removable/ washable	EPS Airflow concept In-mold construction
	GROM VISOR	L39916200	Glossy Pink	KS - KL	435	EPS	Custom Dial fit system Oval fit	In-mold construction	Tonic Orange	Universal ☼	Comfortable integral lining Removable/ washable	EPS Airflow concept In-mold construction
	GROM VISOR	L40837000	Aruba Glossy	KS - KL	435	EPS	Custom Dial fit system Oval fit	In-mold construction	Tonic Orange	Universal ☼	Comfortable integral lining Removable/ washable	EPS Airflow concept In-mold construction

	NAME	REFERENCE	COLOR	SIZES	WEIGHT (g)	SAFETY TECHNO	FIT	SHELL CONSTRUCTION	VENTILATION	LINING	KEY FEATURES	
JUNIOR	GROM											
	GROM	L39161800	Black	KS - KL	320	EPS	Custom Dial fit system Oval fit	In-mold construction	Airflow concept Passive	Comfortable integral lining Removable/ washable	EPS Airflow concept In-mold construction	
	GROM	L40836500	Flame	KS - KL	320	EPS	Custom Dial fit system Oval fit	In-mold construction	Airflow concept Passive	Comfortable integral lining Removable/ washable	EPS Airflow concept In-mold construction	
	GROM	L40836800	Black Tie&dye	KS - KL	320	EPS	Custom Dial fit system Oval fit	In-mold construction	Airflow concept Passive	Comfortable integral lining Removable/ washable	EPS Airflow concept In-mold construction	
	GROM	L39914900	Glossy Pink	KS - KL	320	EPS	Custom Dial fit system Oval fit	In-mold construction	Airflow concept Passive	Comfortable integral lining Removable/ washable	EPS Airflow concept In-mold construction	
	GROM	L40836600	Aruba	KS - KL	320	EPS	Custom Dial fit system Oval fit	In-mold construction	Airflow concept Passive	Comfortable integral lining Removable/ washable	EPS Airflow concept In-mold construction	

HELMET TECHNOLOGY INDEX

COMFORT



PRECISE FIT ADJUSTMENT
A simple turn of the dial precisely adjusts tightness all around.



SIMPLE FIT ADJUSTMENT
The right tightness all around obtainable with a simple turn of the knob.



BREATHABLE MATERIAL
Natural, comfortable and fast-drying liner that is easy to remove & wash.



RECYCLED SOFT LINER FABRICS
Soft and comfortable on your head, friendly for the environment

SAFETY



MIPS
Low-friction layer designed to reduce rotational motion transferred to the brain from angled impacts to the head.



OUTSTANDING PROTECTION
Multi Low impact absorption areas deliver all-around protection to your head.



TRIPLE CERTIFIED
Developed to meet alpine skiing climbing and biking safety standards.



TWICEME
TwICEme stores a copy of the information you have selected which can help you in case of an emergency.

VENTILATION



ACTIVE VENTILATION
Allows you to modify the amount of airflow and heat exhaust.



AIRFLOW
The EPS4D Liner has built in channels that allow an even temperature and constant airflow between your head, your helmet and your goggles.




ENGINEERED AS ONE
Designed as a bundle, Salomon's helmets and goggles are perfectly compatible in regards of Fit, look and performance.

DRIVER PRIME




INTERCHANGEABILITY
This intuitive magnetic lens-changing system is designed so you can easily pull on your lens to take it off and put a new one on by simply aligning it to the visor's frame.



OVER THE GLASSES (OTG)
All our visor ranges allow you to comfortably wear your prescription glasses while you ski.

CONSTRUCTION



INJECTED ABS
The injected ABS Shell delivers high durability, shock absorption, impact deflection and resistance to penetration.




IN MOLD THINSHELL
The In Mold Thinshell Construction fuses a lightweight PC Shell with an EPS Liner to maximize protection and comfort.



HYBRID
The ultimate helmet Construction pairs a tough injected ABS upper Shell with a lightweight in mold lower Shell, providing a lightweight and durable helmet.

HELMETS AFTERMARKET

TECHNOLOGY	WEATHER CONDITIONS	VLT	LENS	FRAME COLOR	SKU	COMPATIBLE MODEL	SIZE
DRIVER 2	PHOTO-SIGMA MAGNET	18 TO 42%	SIGMA PHOTO POPPY RED NEW	-	L47140500	DRIVER PRIME	S-L
	SIGMA MAGNET	13%	SIGMA BLACK GOLD NEW	-	L47141700	DRIVER PRIME	S-L
		15%	SIGMA SKY BLUE NEW	-	L47141400		S-L
		26%	SIGMA EMERALD NEW	-	L47142000		S-L
		37%	SIGMA SILVER PINK NEW	-	L47141600		S-L
	SIGMA	12%	SIGMA BLACK GOLD NEW	-	L47151600	DRIVER PRO	S-L
		19%	SIGMA POPPY RED NEW	-	L47143800		S-L
		13%	SIGMA SKY BLUE NEW	-	L47150800		S-L
		29%	SIGMA ICE BLUE NEW	-	L47152300		S-L
	DRIVER / MIRAGE	PHOTO-CHROMIC	45%-20%	ML RED PHOTOCHROMIC	BLACK	L40720700	DRIVER / MIRAGE
45%-20%			ML RED PHOTOCHROMIC	WHITE GREY	L40908400	DRIVER / MIRAGE	S-M
SIGMA		17%	SIGMA SKY BLUE	BLACK	L41236200	DRIVER / MIRAGE	S-L
MULTILAYER		16%	ML BLUE	BLACK	L40720800	DRIVER / MIRAGE	S-L
		17%	ML INFRARED	BLACK	L40731700	DRIVER / MIRAGE	S-L
STANDARD		54%	STD TONIC ORANGE	BLACK	L40726700	DRIVER / MIRAGE	S-L
PIONEER / ICON	PHOTO-CHROMIC	49%-13%	ML RED PHOTOCHROMIC™	BLACK	L41583500	PIONEER LT / ICON LT	Unique
	SIGMA	12%	SIGMA POPPY RED™	BLACK	L41584000	PIONEER LT / ICON LT	Unique
	MULTI-LAYER	27%	ML MID BLUE	BLACK	L41235500	PIONEER LT / ICON LT	Unique
		27%	ML MID BLUE	GREY	L41235600	PIONEER LT / ICON LT	Unique
	FLASH	25%	FLASH SILVER	BLACK	L41584100	PIONEER LT / ICON LT	Unique
	STD	54%	STD TONIC ORANGE	BLACK	L41247800	PIONEER LT / ICON LT	Unique
GROM VISOR	STD	22%	STD TONIC ORANGE	BLACK	L41026800	ALL GROM VISORS	Unique

	CHINGUARD METAL	L78869600	SRACE	Unique
---	------------------------	-----------	-------	--------

	SUMMER PADDING	L39176700	MTN LAB	M-L
---	-----------------------	-----------	---------	-----

SIGMA



ENJOY THE DIFFERENCE.

AMPLIFY COLOR
CONTRAST

SIGMA IS AN INNOVATIVE LENS SOLUTION FROM SALOMON THAT IMPRESSIVELY AMPLIFIES COLOR CONTRAST ON SNOW, ENABLING THE EYE TO INSTANTLY READ TERRAIN VARIATIONS IN A WIDER RANGE OF LIGHT.

READ TERRAIN
VARIATIONS

ENJOY THE
DIFFERENCE IN
A WIDER RANGE
OF LIGHT



SIGMA
UPGRADE
YOUR EYES



salomon

TIME TO PLAY

NICOLAS VUIGNIER

RADIUM RADIUM PRIME PHOTO



RADIUM PRIME SIGMA PHOTO · 1LENS
NEW L41785200




RADIUM PRIME SIGMA PHOTO · 1LENS
NEW L41785300



RADIUM PRIME SIGMA PHOTO · 1LENS
NEW L41785400


RADIUM RADIUM PRIME




RADIUM PRIME SIGMA · 1LENS
NEW L41786300




RADIUM PRIME SIGMA · 1LENS
NEW L41786400



RADIUM PRIME SIGMA · 1LENS
NEW L41786500



RADIUM PRIME SIGMA · 1LENS
NEW L47031800



RADIUM PRIME SIGMA · 1LENS
NEW L41786900



RADIUM PRIME SIGMA · 1LENS
NEW L41786800

REFERENCE	COLOR	FIT	LENS	CATEGORY	VLT (%)	WEATHER	EXTRA LENSES	LENS TECHNOLOGY	KEY FEATURES
RADIUM PRIME PHOTO									
L41785200	Black	Custom ID fit	SIGMA PHOTO SKY BLUE	S1-3	-	All Weather ☁️🌞☀️	SIGMA ICE BLUE-MULTILAYER-LOW LIGHT	SIGMA Technology Photochromic Technology	Max vision SIGMA Technology Magnetic interchangeable lens system
L41785300	Black	Custom ID fit	SIGMA PHOTO POPPY RED	S1-3	-	All Weather ☁️🌞☀️	SIGMA APRICOT-MULTILAYER-LOW LIGHT	SIGMA Technology Photochromic Technology	Max vision SIGMA Technology Magnetic interchangeable lens system
L41785400	White	Custom ID fit	SIGMA PHOTO SKY BLUE	S1-3	-	All Weather ☁️🌞☀️	SIGMA ICE BLUE-MULTILAYER-LOW LIGHT	SIGMA Technology Photochromic Technology	Max vision SIGMA Technology Magnetic interchangeable lens system
RADIUM PRIME									
L41786300	Black	Custom ID fit	SIGMA BLACK GOLD	-	-	Solar ☁️🌞☀️	SIGMA APRICOT-MULTILAYER-LOW LIGHT	SIGMA Technology	Max vision SIGMA Technology Magnetic interchangeable lens system
L41786400	Black	Custom ID fit	SIGMA SKY BLUE	-	-	Universal ☁️🌞☀️	SIGMA ICE BLUE-MULTILAYER-LOW LIGHT	SIGMA Technology	Max vision SIGMA Technology Magnetic interchangeable lens system
L41786500	White	Custom ID fit	SIGMA EMERALD	-	-	Universal ☁️🌞☀️	SIGMA SILVER PINK-MULTILAYER-LOW LIGHT	SIGMA Technology	Max vision SIGMA Technology Magnetic interchangeable lens system
L47031800	Roasted Cashew	Custom ID fit	SIGMA POPPY RED	-	-	Universal ☁️🌞☀️	SIGMA-APRICOT-MULTILAYER-LOW LIGHT	SIGMA Technology	Max vision SIGMA Technology Magnetic interchangeable lens system
L41786900	Wrought iron	Custom ID fit	SIGMA SILVER PINK	-	-	Low Light ☁️🌞☀️	SIGMA BLACK GOLD-MULTILAYER-SOLAR	SIGMA Technology	Max vision SIGMA Technology Magnetic interchangeable lens system
L41786800	Burnt ochre	Custom ID fit	SIGMA BLACK GOLD	-	-	Solar ☁️🌞☀️	SIGMA-APRICOT-MULTILAYER-LOW LIGHT	SIGMA Technology	Max vision SIGMA Technology Magnetic interchangeable lens system

RADIUM RADIUM PRO



RADIUM PRO SIGMA
L47003700



RADIUM PRO SIGMA
L47003800



RADIUM PRO SIGMA
L47003900



RADIUM PRO SIGMA
L47004000




RADIUM PRO SIGMA
L47004100



RADIUM PRO SIGMA
L41475900



RADIUM PRO SIGMA
L41476000




RADIUM PRO SIGMA
L47015000




RADIUM PRO SIGMA
L47000900

RADIUM RADIUM



RADIUM SIGMA
L47001200



RADIUM SIGMA
L47005100



RADIUM SIGMA
L47005300



RADIUM SIGMA
L47005000



RADIUM SIGMA
L47005200

REFERENCE	COLOR	FIT	LENS	CATEGORY	VLT (%)	WEATHER	LENS TECHNOLOGY	KEY FEATURES
RADIUM PRO								
L47003700	Black	Custom ID fit	SIGMA POPPY RED	-	-	Universal	SIGMA Technology	Amplified vision SIGMA Technology Easy change
L47003800	Black	Custom ID fit	SIGMA EMERALD	-	-	Universal	SIGMA Technology	Amplified vision SIGMA Technology Easy change
L47003900	Black	Custom ID fit	SIGMA APRICOT	-	-	Low Light	SIGMA Technology	Amplified vision SIGMA Technology Easy change
L47004000	White	Custom ID fit	SIGMA SKY BLUE	-	-	Universal	SIGMA Technology	Amplified vision SIGMA Technology Easy change
L47004100	White	Custom ID fit	SIGMA SILVER PINK	-	-	Low Light	SIGMA Technology	Amplified vision SIGMA Technology Easy change
L41475900	Roasted Cashew	Custom ID fit	SIGMA POPPY RED	-	-	Universal	SIGMA Technology	Amplified vision SIGMA Technology Easy change
L41476000	Mallard Blue	Custom ID fit	SIGMA SKY BLUE	-	-	Universal	SIGMA Technology	Amplified vision SIGMA Technology Easy change
L47015000	Black	Custom ID fit	SIGMA POPPY RED	-	-	Universal	SIGMA Technology	Amplified vision SIGMA Technology Easy change
L47000900	Black	Custom ID fit	SIGMA SKY BLUE	-	-	Universal	SIGMA Technology	Amplified vision SIGMA Technology Easy change
RADIUM								
L47001200	Wrought iron	Triple layer face foam	SIGMA SILVER PINK	-	-	Low Light	SIGMA Technology	Amplified vision SIGMA Technology Triple layer face foam
L47005100	Black	Triple layer face foam	SIGMA SKY BLUE	-	-	Universal	SIGMA Technology	Amplified vision SIGMA Technology Triple layer face foam
L47005300	White	Triple layer face foam	SIGMA POPPY RED	-	-	Universal	SIGMA Technology	Amplified vision SIGMA Technology Triple layer face foam
L47005000	Black	Triple layer face foam	SIGMA BLACK GOLD	-	-	Solar	SIGMA Technology	Amplified vision SIGMA Technology Triple layer face foam
L47005200	Black	Triple layer face foam	SIGMA APRICOT	-	-	Low Light	SIGMA Technology	Amplified vision SIGMA Technology Triple layer face foam

WOMEN IVY



IVY PHOTO
L41480000



IVY PHOTO
L41480100



IVY SIGMA
L41480200



IVY SIGMA
L41480300

LO FI



LO FI SIGMA
L41543300



LO FI SIGMA
L41485000



LO FI SIGMA
L47001900



LO FI SIGMA
L47015400



LO FI SIGMA
L47005800



LO FI SIGMA
L47001800



LO FI SIGMA
L47002000



LO FI SIGMA
L47005700

REFERENCE	COLOR	FIT	LENS	CATEGORY	VLT (%)	WEATHER	LENS TECHNOLOGY	KEY FEATURES
WOMEN IVY								
L41480000	Black	Women model Custom ID fit Hypoallergenic foam	PHOTO RED	S1-3	60 to 18%	All Weather ☁️☀️❄️	Photochromic Technology	Max vision Photochromic Technology Custom ID fit
L41480100	White	Women model Custom ID fit Hypoallergenic foam	PHOTO BLUE	S1-3	42 to 18%	All Weather ☁️☀️❄️	Photochromic Technology	Max vision Photochromic Technology Custom ID fit
L41480200	White	Women model Custom ID fit Hypoallergenic foam	SIGMA SKY BLUE	-	-	Universal ☁️☀️❄️	SIGMA Technology	Max vision SIGMA Technology Custom ID fit
L41480300	Rainy Day	Women Modele Custom ID fit Hypoallergenic foam	SIGMA EMERALD	-	-	Universal ☁️☀️❄️	SIGMA Technology	Max vision SIGMA Technology Custom ID fit
WOMEN LO-FI								
L41543300	White	Custom ID fit	SIGMA POPPY RED	-	-	Universal ☁️☀️❄️	SIGMA Technology	Amplified vision SIGMA Technology Custom ID fit
L41485000	Black	Custom ID fit	SIGMA POPPY RED	-	-	Universal ☁️☀️❄️	SIGMA Technology	Amplified vision SIGMA Technology Custom ID fit
L47001900	Wrought iron	Custom ID fit	SIGMA SILVER PINK	-	-	Low Light ☁️☀️❄️	SIGMA Technology	Amplified vision SIGMA Technology Custom ID fit
L47015400	Black	Custom ID fit	SIGMA SKY BLUE	-	-	Universal ☁️☀️❄️	SIGMA Technology	Amplified vision SIGMA Technology Custom ID fit
L47005800	White	Custom ID fit	SIGMA BLACK GOLD	-	-	Solar ☁️☀️❄️	SIGMA Technology	Amplified vision SIGMA Technology Custom ID fit
L47001800	Burnt ochre	Custom ID fit	SIGMA BLACK GOLD	-	-	Solar ☁️☀️❄️	SIGMA Technology	Amplified vision SIGMA Technology Custom ID fit
L47002000	Black	Custom ID fit	SIGMA SKY BLUE	-	-	Universal ☁️☀️❄️	SIGMA Technology	Amplified vision SIGMA Technology Custom ID fit
L47005700	Black	Custom ID fit	SIGMA EMERALD	-	-	Universal ☁️☀️❄️	SIGMA Technology	Amplified vision SIGMA Technology Custom ID fit

S/VIEW



S/VIEW PHOTO
L47006000



S/VIEW SIGMA
L41487700



S/VIEW SIGMA
L47003100



S/VIEW PHOTO
L47005900




S/VIEW ML
L41152800



S/VIEW SIGMA
L47006100



S/VIEW ML
L41488100



S/VIEW ML
L47006400



S/VIEW ML
L47006300



S/VIEW ML
L47003200

REFERENCE	COLOR	FIT	LENS	CATEGORY	VLT (%)	WEATHER	LENS TECHNOLOGY	KEY FEATURES
S/VIEW								
L47005900	Black	Double layer face foam	PHOTO RED	S1-3	60 to 18%	All Weather ☁️☀️❄️	Photochromic Technology	Airflow system Photochromic Technology Wide vision
L47006000	White	Double layer face foam	PHOTO BLUE	S1-3	42 to 18%	All Weather ☁️☀️❄️	Photochromic Technology	Airflow system Photochromic Technology Wide vision
L41487700	White	Double layer face foam	SIGMA EMERALD	-	-	Universal ☁️☀️❄️	SIGMA Technology	Airflow system SIGMA Technology Wide vision
L47003100	Burnt ochre	Double layer face foam	SIGMA POPPY RED	-	-	Universal ☁️☀️❄️	SIGMA Technology	Airflow system SIGMA Technology Wide vision
L47006100	Black	Double layer face foam	SIGMA BLACK GOLD	-	-	Solar ☀️	SIGMA Technology	Airflow system SIGMA Technology Wide vision
L41152800	Blue	Double layer face foam	ML MID BLUE	S2	27%	Universal ☁️☀️❄️	-	Airflow system Helmet compatible Wide vision
L41488100	Black	Double layer face foam	ML SUPER WHITE	S2	25%	Universal ☁️☀️❄️	-	Airflow system Helmet compatible Wide vision
L47006400	Black	Double layer face foam	ML LIGHT BLUE	S1	53%	Low Light ☁️☀️❄️	-	Airflow system Helmet compatible Wide vision
L47006300	Black	Double layer face foam	ML MID RED	S2	32%	Universal ☁️☀️❄️	-	Airflow system Helmet compatible Wide vision
L47003200	Wrought iron	Double layer face foam	ML RUBY	S2	38%	Universal ☁️☀️❄️	-	Airflow system Helmet compatible Wide vision

AKSIUM 2.0



AKSIUM 2.0 PHOTO
NEW L41782400



AKSIUM 2.0 ML
NEW L41777300



AKSIUM 2.0 ML
NEW L41782100



AKSIUM 2.0 ML
NEW L41778500

AKSIUM 2.0 S



AKSIUM 2.0 S PHOTO
NEW L41783500



AKSIUM 2.0 S ML
NEW L41783800



AKSIUM 2.0 S ML
NEW L41783700




AKSIUM 2.0 S ML
NEW L41783600

	REFERENCE	COLOR	FIT	LENS	CATEGORY	VLT (%)	WEATHER	LENS TECHNOLOGY	KEY FEATURES
AKSIUM 2.0	L41782400	Blue	Double layer face foam	PHOTO BLUE	S1-3	18 to 42%	All Weather ☁️🌞	Photochromic Technology	Airflow system Photochromic Technology Wide vision
	L41777300	Black	Double layer face foam	ML MID RED	S2	32%	Universal ☁️🌞	-	100% UV CUT Airflow system Wide vision
	L41782100	Red matador	Double layer face foam	ML MID RED	S2	32%	Universal ☁️🌞	-	100% UV CUT Airflow system Wide vision
	L41778500	White	Double layer face foam	ML MID BLUE	S2	27%	Universal ☁️🌞	-	100% UV CUT Airflow system Wide vision
AKSIUM 2.0 S	L41783500	Black	Small fit Double layer face foam	PHOTO BLUE	S1-3	18 to 42%	All Weather ☁️🌞	Photochromic Technology	Airflow system Photochromic Technology Wide vision
	L41783800	Peach	Small fit Double layer face foam	ML MID RED	S2	32%	Universal ☁️🌞	-	100% UV CUT Airflow system Wide vision
	L41783700	White	Small fit Double layer face foam	ML RUBY	S2	38%	Universal ☁️🌞	-	100% UV CUT Airflow system Wide vision
	L41783600	Black	Small fit Double layer face foam	ML MID RED	S2	32%	Universal ☁️🌞	-	100% UV CUT Airflow system Wide vision


GOGGLE TECHNOLOGY INDEX

LENS SIGMA




SIGMA™
A Salomon innovative Lens solution that significantly amplifies color contrast on snow enabling the eye to instantly read terrain variations.

SIGMA




SIGMA™ PHOTOCROMIC
SIGMA™ 's innovative contrast amplifier technology combined with an outstanding photochromic coating which adjusts Lens tint to light condition.

PHOTOCROMIC




Responds to changing light conditions by dynamically adjusting the level of Lens tint from lighter to darker.


MULTI-LAYER




Multi layered mirror finish increases protection from glare and reduces eye fatigue. Combines style and performance, with a variety of colors.




FLASH
A subtle mirror coating with only a blush of reflectance which helps to reduce the overall brilliance of sunlight on snow.




100% UV CUT
All Salomon Lenses filter out 100% of the sun's UV rays for complete eye protection.



TRI TECH
New generation of anti-static, hydrophobic and oleophobic coating improves its intrinsic qualities, without altering the color tint.




WEATHER CONDITIONS
To help you identify the right Lens for your skiing day, we added weather indication on the packaging.




ANTI FOG-
Salomon's latest anti fog treatment offers up to four times more fog resistance to the lens than what a standard treatment would.


FRAME CONSTRUCTION




MECHANICAL SYSTEM
To help you switch from a lens to another we make sure interchangeability system is simple to use.




CUSTOM ID FIT
Adaptive foam & frame complexes for an advanced fit & anatomical - whatever the face shape.




MAGNETIC SCREEN
Sixteen strong magnets are strategically positioned to hold the lens securely in place, while rubber grips allow for it to be removed without smudging.



FIELD OF VISION
Optimal viewing experience thanks to a low-profile frame construction and a wider lens.




OVER THE GLASSES
A comfortable shape over prescription glasses with fogging reduction by improving airflow around the eyes.



ENGINEERED AS ONE
Designed as a bundle, Salomon's helmets and goggles are perfectly compatible in regards of fit, look and performance.

CE NORMS
All Salomon, whatever their colour, are compliant and respond to the requirement in the standard EN 174-2001.




ASIAN FIT
Developed to best fit Asian face physiognomy, these goggles feature revised foam lining thickness at the nose bridge.

LENS SELECTOR

TECHNO	WEATHER CONDITIONS	LENS	VLT	RADIUM PRIME	RADIUM PRO	RADIUM	IVY	LOFI	S/VIEW	AKSIUM 2.0	AKSIUM 2.0 S
SIGMA		PHOTOCROMIC SKY BLUE	14 TO 49%								
		PHOTOCROMIC POPPY RED	13 TO 43%								
		BLACK GOLD	12%								
		SKY BLUE	13%								
		POPPY RED	19%								
		EMERALD	23%								
		ICE BLUE	29%								
		SILVER PINK	36%								
		APRICOT	45%								
MULTILAYER		PHOTOCROMIC BLUE S1 - S3	18 TO 42%								
		PHOTOCROMIC RED S1 - S3	18 TO 60%								
		BLACK - S3	10%								
		SUPER WHITE S2	25%								
		MID BLUE S2	27%								
		MID RED S2	32%								
		RUBY S2	38%								
		LIGHT BLUE S1	53%								
FLASH		TONIC ORANGE S2	22%								
		GOLD S2	25%								
		YELLOW S1	68%								

RENTAL



SERVICES

PRODUCTS

MARKETING

TOMORROW IS YOURS

PERFORMANCE QST




**QST SPARK
M10 GW**
L41555300+

ALPINE SKIS S/FORCE



**S/FORCE SX · M10 GW
L80**
L41537700+

PERFORMANCE STANCE



**STANCE 84
M12 GW F90**
L47041300+



**STANCE W 84
M11 GW**
L41535500+



**STANCE 80
M11 GW**
L47041400+



**STANCE W 80
M10 GW L80**
L41535600+

	NAME	REFERENCE	COLOR	SIZE RUN	BINDING	PLATE	WAIST WIDTH	RADI- US	WEIGHT SAMPLE SIZE KG	SHAPE PRO- FILE	KEY FEATURES	TOP SHEET	RENTAL
PERFORMANCE	S/MAX												
	QST SPARK · M10 GW	L41555300+	Storm Grey Black Flame	143 150 157 164 171 178	M10 GW		109	15	2220	Twin Rocker	Poplar Woodcore Stepdown Sidewalls	Shark	
ALPINE SKIS	S/FORCE												
	S/FORCE SX	L41537700+	Grey Yellow	140 150 160 167 175	M10 GW	Leisuretrak two parts	76	10 11 13 14 15	1880 (size 167)	Tip Rocker	Composite Rental Chamfer	Glossy 3D Structuration	Rental Chamfer Tail Protector Tip protector
PERFORMANCE	STANCE												
	STANCE 84 (and M12)	L47041300+		161 169 177 185	M12 GW	-	84	16	1840	All-Terrain Rocker	Ti-C Frame Single Ti Full Poplar Woodcore	Corund	-
	STANCE W 84 (and M11)	L41535500+	Black Bordeaux	151 159 167 175	M11 GW		84	16	1840	All-Terrain Rocker	Ti-C Frame Single Ti Karuba / Poplar Full Woodcore	Glossy	
	STANCE 80 (and M11)	L47041400+		161 169 177 185	M11 GW		80	14		All-Terrain Rocker	Ti-C Frame Poplar Woodcore Single Ti	Snake	
	STANCE W 80 (and M10)	L41535600+	Light Blue White	141 151 159 167 175	M10 GW		80	14	1910	All-Terrain Rocker	Ti-C Frame Poplar Woodcore Single Ti	Noppe	

FLEET DISTANCE



**DISTANCE 76
M10 GW L80**
L41172500*

**DISTANCE 76 W *
M10 GW L80**
L41172600*

**DISTANCE 72 *
M10 GW L80**
L41175300*

**DISTANCE 125 *
M10 GW L90**
L41191500*

	NAME	REFERENCE	COLOR	SIZE RUN	BINDING	PLATE	WAIST WIDTH	RADI- US	WEIGHT SAMPLE SIZE KG	SHAPE PRO- FILE	KEY FEATURES	TOP SHEET	RENTAL
FLEET	DISTANCE												
	DISTANCE 76 * M10 GW L80	L41172500*	Dark Green Black Red	130 140 150 160 170 180	M10 GW	Leisuretrak two parts	76	9 10 11 13 14 16	1836 (size 170)	All-Ter- rain Rocker	Reinforced Black Base Poplar Woodcore Rental Edge	Corund	QR Code Reinforced Black Base Rental Edge Tail Protector Tip protector
	DISTANCE 76 W * M10 GW L80	L41172600*	Light Purple Black Light Orange	130 140 150 160 170	M10 GW	Leisuretrak two parts	76	9 10 11 13 14	1715 (size 160)	All-Ter- rain Rocker	Reinforced Black Base Poplar Woodcore Rental Edge	Corund	QR Code Reinforced Black Base Rental Edge Tail Protector Tip protector
	DISTANCE 72 * M10 GW L80	L41175300*	Grey Black Yellow	130 140 150 155 160 165 170	M10 GW	Leisuretrak two parts	68 to 73	11 11 12 12 13 14 14	1350 (size 165)	All-Ter- rain Rocker	Composite Reinforced Black Base Rental Edge	Corund	QR Code Reinforced Black Base Rental Edge Tail Protector Tip protector
	DISTANCE 125 * M10 GW L90	L41191500*	Grey Black Yellow	125	M10 GW	Leisuretrak two parts	68	11	1567	All-Ter- rain Rocker	Composite Reinforced Black Base Rental Edge	Corund	QR Code Reinforced Black Base Rental Edge Tail Protector Tip protector

JUNIOR QST BLANK



**QST BLANK TEAM
L6 GW**
L417103100+

JUNIOR QST SPARK



**QST SPARK JR M
L6 GW**
L47042200+

**QST SPARK JR S
C5 GW**
L47057600+

JUNIOR QST MAX



**QST MAX JR M
L6 GW**
L41535800+



**QST MAX JR S
C5 GW**
L41536000+



**QST MAX JR XS
C5 GW**
L41536100+

JUNIOR QST LUX



**QST LUX JR M
L6 GW**
L41536200+



**QST LUX JR S
C5 GW**
L41536400+

JUNIOR T1



**T1 JR XS
C5 GW**
L40891100+

NAME	REFERENCE	COLOR	SIZE RUN	BINDING	PLATE	WAIST WIDTH	RADI- US	WEIGHT SAMPLE SIZE KG	SHAPE PRO- FILE	KEY FEATURES	TOP SHEET	RENTAL
JUNIOR QST BLANK												
QST BLANK TEAM	L41670700+	-	128 137 146 152	123	92	113	12	1146	All-Terrain Rocker	ABS Sidewalls Full poplar Woodcore	Co-rund	
JUNIOR QST SPARK												
QST SPARK JR M (AND L6)	L47042200+	Flame Copen Blue Black	143 150		L6 GW	85	12	1586	Twintip	Composite	Corund	
QST SPARK JR S (AND C5)	L47057600+	Flame Copen Blue Black	113 123 133		L6 GW	80	8	1330	Twintip	Composite	Corund	
JUNIOR QST MAX												
QST MAX JR M (and L6)	L41535800+	Lt. Blue Grey	130 140 150		L6 GW	68	12	1492	All Terrain Rocker	All Terrain Rocker Composite Monocoque	Shark	
QST MAX JR S (and C5)	L41536000+	Lt. Blue Grey	100 110 120		C5 GW	67	8	772	All Terrain Rocker	All Terrain Rocker Composite Monocoque	Shark	
QST MAX JR XS (and C5)	L41536100+	Lt. Blue Grey	70 80 90		C5 GW	64	7	458	All Terrain Rocker	All Terrain Rocker Composite Monocoque	Shark	
JUNIOR QST LUX												
QST LUX JR M (and L6)	L41536200+	Bordeaux Pink	130 140 150		L6 GW J2 80	68	12	1492	All Terrain Rocker	All Terrain Rocker Composite Monocoque	Shark	
QST LUX JR S (and C5)	L41536400+	Bordeaux Pink	100 110 120		C5 GW J75	67	8	772	All Terrain Rocker	All Terrain Rocker Composite Monocoque	Shark	
JUNIOR T1												
T1 JR XS C5 GW	L40891100+	White Multi	70 80 90		C5 GW J75	64	7	458	All Terrain Rocker	All Terrain Rocker Composite Monocoque	Shark	

PREMOUNTS STANCE



STANCE 80
M10 GW L80
L470783PM+
(Factory premounted)



STANCE W 80
M10 GW L80
L470784PM+
(Factory premounted)

PREMOUNTS DISTANCE



DISTANCE 72
M10 GW L80
L413780PM+
(Factory premounted)

JUNIOR QST



QST JR M
L6 GW J2 80
L470787PM+
(Factory premounted)

QST JR S
C5 GW J75
L470788PM+
(Factory premounted)

JUNIOR LUX



LUX JR M
L6 GW J2 80
L470789PM+
(Factory premounted)

LUX JR S
C5 GW J75
L470790PM+
(Factory premounted)

	NAME	REFERENCE	COLOR	SIZE RUN	BINDING	PLATE	WAIST WIDTH	RADI- US	WEIGHT SAMPLE SIZE KG	SHAPE PROFILE	KEY FEATURES	TOP SHEET	RENTAL
ALPINE SKIS	STANCE												
	STANCE 80 (AND M11)	L470783PM+	M10 GW L80	161 169 177 185	124	80	106	14	1930	All-Ter- rain Rocker	Ti-C Frame Poplar Woodcore Single Ti	Co- rund	
	STANCE W 80 (AND M10)	L470784PM+	M10 GW L80	141 151 159 167 175	124	80	106	14	1910	All-Ter- rain Rocker	Ti-C Frame Poplar Woodcore Single Ti	No- ppe	
	DISTANCE												
	DISTANCE 72 - M10 GW L80	L413780PM+	Grey Black Yellow	130 140 150 155 160 165 170	M10 GW	Leisuretrak two parts	72	11 11 12 12 13 14 14	1350	All-Terrain Rocker	Composite Reinforced Black Base Rental Edge	Shark	QR Code Reinforced Black Base Rental Edge Tail Protector Tip protector
	JUNIOR QST												
	QST JR M L6 GW J2 80	L470787PM+	Lt. Blue Grey	130 140 150		L6 GW	68	12	1492	All Terrain Rocker	All Terrain Rocker Composite Monocoque	Shark	
	QST JR S C5 GW J75	L470788PM+	Lt. Blue Grey	100 110 120		C5 GW	67	8	772	All Terrain Rocker	All Terrain Rocker Composite Monocoque	Shark	
	JUNIOR LUX												
	LUX JR M L6 GW J2 80	L470789PM+	Bordeaux Pink	130 140 150		L6 GW J2 80	68	12	1492	All Terrain Rocker	All Terrain Rocker Composite Monocoque	Shark	
LUX JR S C5 GW J75	L470790PM+	Bordeaux Pink	100 110 120		C5 GW J75	67	8	772	All Terrain Rocker	All Terrain Rocker Composite Monocoque	Shark		

DEMO BINDINGS MTN



MTN TOUR
L41773900•

DEMO BINDINGS WARDEN



WARDEN MNC 13 DEMO
L40819600•

DEMO BINDINGS STRIVE



STRIVE 13 GW DEMO
L41775200•
NEW



STRIVE 11 GW DEMO
L41775300•
NEW

RENTAL BINDINGS ALL MOUNTAIN



NR M11 GW
L41131300•

M11 GW 6-IN-1
L41387300•



NR M10 GW
L41131400•

M10 GW 6-IN-1
L41387200•

JUNIOR RENTAL BINDINGS ALL MOUNTAIN



L6 GW DEMO
L40853300•



C5 GW DEMO
L40817200•

	NAME	REFERENCE	COLOR	DIN SCALE	ADJUSTMENT RANGE (MM)	ADJUSTMENT RANGE (US SIZES)	HEIGHT (mm)	WEIGHT (1/2 pair) (g)	NORM	FEATURES	
DEMO BINDINGS	MTN										
	MTN TOUR	L41773900•	Black Titan	–	50	5.5	18	400	Rando	Aluminium Patented Step-in aid Wide Screw implementation	
	WARDEN										
	WARDEN MNC 13 DEMO	L40819600•	Black	4-13	120	15	26.5	1340	MNC (Multi Norm Certified) Alpine - Adult TÜV	Sliding Toe pedal U Power Toe Extra-wide Toe pedal (>60mm)	
DEMO BINDINGS	STRIVE										
	STRIVE 13 GW DEMO	L41775200•	Black	4.5-13	120	15	20.1	1180	Alpine - Adult Gripwalk - Adult TÜV	LDN Toe +Elastic travel Extra-wide Toe pedal (>60mm)	
	STRIVE 11 GW DEMO	L41775300•	Black	3.5-11	120	15	20.1	1100	Alpine - Adult Gripwalk - Adult TÜV	LDN Toe +Elastic travel Extra-wide Toe pedal (>60mm)	
RENTAL BINDINGS	ALL MOUNTAIN										
	NR M11 GW	L41131300•	Black	3.5-11	120	15	28.7	1015	Alpine - Adult Gripwalk - Adult TÜV	Toolless Length Adjustment Walk pedal BackRollers technology	
	M11 GW 6-IN-1	L41387300•									
	NR M10 GW	L41131400•	Black	3-10	120	15	28.7	1015	Alpine - Adult Gripwalk - Adult TÜV	Toolless Length Adjustment Walk pedal BackRollers technology	
M10 GW 6-IN-1	L41387200•										
JUNIOR RENTAL BINDINGS	ALL MOUNTAIN										
	L6 GW DEMO	L40853300•	Black White	2-5.5	104	13	23.8	703	Alpine - Adult Alpine - Junior Gripwalk - Adult Gripwalk - Junior TÜV	Automatic Wing & Toe adjustment Gripwalk - Adult Gripwalk - Junior	
	C5 GW DEMO	L40817200•	Black White	0.75-4.5	104	13	24.4	820	Alpine - Adult Alpine - Junior Gripwalk - Adult Gripwalk - Junior TÜV	Snow Scraper Gripwalk - Adult Gripwalk - Junior	

RENTAL SHIFT PRO



SHIFT PRO R100 AT
L41541400



SHIFT PRO R90 W AT
L41541600

RENTAL S/PRO R



S/PRO R110 GW
L47047900
NEW



S/PRO R100 GW
L41558100
NEW



S/PRO R90 W GW
L47048000
NEW



S/PRO HV R90 GW
L47048200
NEW



S/PRO HV R80 W GW
L47048300
NEW

S/PRO R100 GW (4 IN 1 PACK)
L47081800
NEW

S/PRO R90 W GW (4 IN 1 PACK)
L47081900
NEW

S/PRO HV R90 GW (4 IN 1 PACK)
L47082000
NEW

S/PRO HV R80 W GW (4 IN 1 PACK)
L47082100
NEW

RENTAL SELECT HV



SELECT HV R80 GW
L47102200



SELECT HV R70 W GW
L41657600

	NAME	REFERENCE	COLOR	SIZE RUN	FLEX	LAST	WEIGHT (g)	SHELL	CUFF	LINER	STRAP	BUCKLES	FEATURES
RENTAL	SHIFT PRO												
	SHIFT PRO R100 AT	L41541400	Belluga Black Orange	25.5 to 31.5	100	100	1703	Polyurethane + fiberglass coreframe + sensifit insert Integrated tech inserts	Polyolefin Polyamid spine	My Thermic Fit	360° 35mm	4 riveted aluminium 3D	Coreframe Surelock skiwalk mechanism Sensifit insert
	SHIFT PRO R90 W AT	L41541600	Anthracite Burgandy Black	22.5 to 27.5	90	100	1542	Polyurethane + fiberglass coreframe + sensifit insert	Polyolefin Polyamid spine	My Thermic Fit	360° 35mm	4 riveted aluminium 3D	Coreframe Surelock skiwalk mechanism Sensifit insert
	S/PRO R												
	S/PRO R110 GW	L47047900	Anthracite Black Acid Green	25.5 to 31.5	110	100	1820,0	Polyurethane + fiberglass coreframe + sensifit insert	Polyurethane + calf adjuster	My Custom Fit 3D Perf	360° 45MM	4 riveted aluminium 3D Tool free tooth adjustment	Coreframe Sensifit insert Autostrech liner Calf adjuster
	S/PRO R100 GW	L41558100	Black	22.5 to 27.5	100	100	1810	Polyurethane + fiberglass coreframe + sensifit insert	Polyurethane	My Thermic Fit	360° 35mm	4 riveted aluminium 3D Tool free tooth adjustment	Coreframe Sensifit insert Tool free tooth adjustment
	S/PRO R100 GW (4 IN 1 PACK)	L47081800		27.5 to 28.5									
	S/PRO R90 W GW	L47048000	Silver Black Scuba Blue	22.5 to 27.5	90	100	1570	Polyurethane + fiberglass coreframe + sensifit insert	Polyurethane	My Thermic Fit	360° 35mm	4 riveted aluminium 3D Tool free tooth adjustment	Coreframe Sensifit insert Gripwalk premounted ISO 9523
	S/PRO R90 W GW (4 IN 1 PACK)	L47081900		24.5 to 25.5									
	S/PRO HV R90 GW	L47048200	Black Anthracite Red	25.5 to 33.5	90	102	1800	Polyurethane + dual sensifit insert	Polyurethane + calf adjuster	My Thermic Fit	360° 28MM	4 riveted aluminium Tool free tooth adjustment	Coreframe Dual Sensifit Insert Autostrech liner Calf adjuster
	S/PRO HV R90 GW (4 IN 1 PACK)	L47082000		26.5 to 28.5									
	S/PRO HV R80 W GW	L47048300	Anthracite Black Sterling Blue	22.5 to 27.5	80	102	1720	Polyurethane + dual sensifit insert	Polyurethane + calf adjuster	My Thermic Fit	360° 28MM	4 riveted aluminium Tool free tooth adjustment	Coreframe Dual Sensifit Insert Autostrech liner Calf adjuster
	S/PRO HV R80 W GW (4 IN 1 PACK)	L47082100		24.5 to 25.5									
	SELECT HV												
	SELECT HV R80 GW	L47102200	Black Beluga Goji Berry	25.5 to 31.5	80	102	1772	Pololefin + adjustable spoiler	Pololefin + adjustable spoiler	My Thermic Fit	360° 28MM	4 riveted aluminium Tool free tooth adjustment	Dual Sensifit Insert Adjustable cuff spoiler Alpine premounted ISO 5355
	SELECT HV R70 W GW	L41657600	Black White Golden Claw	22.5 to 27.5	70	102	1772	Pololefin + adjustable spoiler	Pololefin + adjustable spoiler	My Thermic Fit	Sense 28mm	4 riveted aluminium Tool free tooth adjustment	Women Calf adjuster Dual Sensifit Insert Alpine Premounted ISO 5355

RENTAL ACCESS



QST ACCESS R80 GW
L47047500
NEW



QST ACCESS R70 W GW
L47047100



X ACCESS R80 WIDE GW
L47047200



X ACCESS R70 W WIDE GW
L47047300

X ACCESS R70 W GW (4 IN 1 PACK)
L47082200
NEW

RENTAL DISTANCE



DISTANCE 60 GW
L47047600


DISTANCE 60 GW (4 IN 1 PACK)
L47062100

	NAME	REFERENCE	COLOR	SIZE RUN	FLEX	LAST	WEIGHT (g)	SHELL	CUFF	LINER	STRAP	BUCKLES	FEATURES	
RENTAL	ACCESS													
	QST ACCESS R80 GW	L47047500	Maroccan Blue Black Acid Green	25.5 to 31.5	80	104	1810	Polyurethane + easy step-in overlap	Polyolefin	My Thermic Fit	360° 35MM	2 riveted aluminium + 1 ratchet	Hike and ride	
	QST ACCESS R70 W GW	L47047100	Purple Translucent White Burgundy	22.5 to 27.5	70	104	1660	Polyurethane + easy step-in overlap	Polyolefin	My Thermic Fit	360° 35MM	2 riveted aluminium + 1 ratchet	Hike and ride	
	QST ACCESS R70 W GW (4 IN 1 PACK)	L47082200		24.5 to 26.5										
	X ACCESS R80 WIDE	L47047200	Black Race Blue White	25.5 to 31.5	80	104	1950	Polyurethane	Polyolefin	My Thermic Fit	360° 28mm	4 riveted aluminium Tool free tooth adjustment	Riveted oversized pivot Twinframe Tool free tooth adjustment	
	X ACCESS R70 W WIDE	L47047300	Black White	22.5 to 27.5	70	104	1815	Polyurethane	Polyolefin	My Thermic Fit	360° 35MM	4 riveted aluminium Tool free tooth adjustment	Women calf adjuster Twinframe Tool free tooth adjustment	
	X ACCESS R70 W WIDE (4 IN 1 PACK)	L47082200		24.5 to 26.5								4 riveted aluminium Tool free tooth adjustment	Women calf adjuster Twinframe Tool free tooth adjustment	
	DISTANCE													
	DISTANCE 60 GW	L47047600	Beluga Black Goji Berry	22.5 to 32.5	60	104	1810	Polyurethane	Polyolefin	My Thermic Fit			4 riveted aluminium	Rental plate for barcode Size marking between the 2 front buckles - on the rear cuff Twinframe
	DISTANCE 60 GW (4 IN 1 PACK)	L47062100												

ALPINE POLES ADULT

RENTAL ANODIZED ADULT ALU

L39135100



RENTAL COMPOSITE ADULT

L39135200



ALPINE POLES JUNIOR

RENTAL ANODIZED JR ALU

L39135300



RENTAL BRIGADE



BRIGADE RENTAL

L41545700

■ (XS) ■ (S) ■ (M) ■ (L)

	NAME	REFERENCE	COLOR	SIZE RUN	SHAFT	GRIP	STRAP	BASKET	TIP	FEATURES
ALPINE POLES	ADULT									
	RENTAL ANODIZED ADULT ALU	L39135100	Aluminium	110 115 120 125 130 135	Alu **** Shaft diameter: 18mm	Dual material all mountain grip	Standard strap	Interchangeable basket system All mountain basket	Standard tip	Anodized design Dual material all mountain grip Scratch proof anodization
	RENTAL COMPOSITE ADULT	L39135200	Black	110 115 120 125 130 135	Carbon **** Shaft diameter: 16mm	Dual material all mountain grip	Standard strap	Interchangeable basket system All mountain basket	Carbide/ widia tip	Carbide/widia tip Carbon **** Dual material all mountain grip
ALPINE POLES	JUNIOR									
	RENTAL ANODIZED JR ALU	L39135300	Aluminium	70 75 80 85 90 95 100 105	Alu **** Shaft diameter: 16mm	Kids grip	Junior strap	Kids basket	Standard tip	Anodized design Alu **** Scratch proof anodization

	NAME	REFERENCE	COLOR	SIZE RUN	WEIGHT	SAFETY	FIT	SHELL	LENS	WEATHER	VENTILATION	LINING	KEY FEATURES	NORMS
RENTAL	BRIGADE													
	BRIGADE RENTAL	L41545700	Black	XS -L	430	EPS4D	Custom Dial fit system Oval fit	Injected shell con- struction	-	-	-	Airflow concept Passive TCS (thermo control system)	Advanced- skin activedry Removable/ washable	Airflow concept EPS4D Injected shell construction

HEAD OFFICE

Salomon USA
2030 LINCOLN AVENUE
OGDEN, UT 84401
Tel: 800.342.7669

SALES MANAGEMENT

JEFF LARSEN
Vice President Sales
801.624.7647
jeff.larsen@salomon.com

ERIK ANDERSON
US Market Director
207.318.6241
erik.anderson@salomon.com

SALES FORCE

NORTH WEST

AK, WA, N.ID, OR

JOEL HAMMOND (PRINCIPAL)
BETH HAMMOND

JOEL@S2WSPORTSGROUP.COM
JENNA@S2WSPORTSGROUP.COM

509-312-0200
802-310-6209

3138 NW CRAFTSMAN DR, BEND, OR 97703
3138 NW CRAFTSMAN DR, BEND, OR 97703

WEST

CA, NV, AZ

CHRIS TILLER (PRINCIPAL)
TYLER BROWN
DEAN KAESE

CHRIS@CTS-SPORTS.COM
N/A
DKAESE@ME.COM

916-502-2472
N/A
949-632-9164

4320 ASPENWOOD CT, RENO, NV 89519
11438 RIDGE RD., TRUCKEE, CA 96161
19 REDCROWN, MISSION VIEJO, CA 92692

ROCKIES

CO, NM

ROB MCGREGOR (PRINCIPAL, RM SALES LTD)
DAVID CRANE
PETE LEAZOTT
HUNTER MCLEAN
ELI LEESON
BRENT KNIGHT

ROB.MCGREGOR@RMSALES.LTD.COM
DAVID.CRANE@RMSALES.LTD.COM
PETE.LEAZOTT@RMSALES.LTD.COM
HUNTER.MCLEAN@RMSALES.LTD.COM
ELI.LEESON@RMSALES.LTD.COM
BRENTON.KNIGHT@RMSALES.LTD.COM

303-818-7189
970-376-1307
303-725-4948
303-818-7189
303-818-7189
503-428-0172

330 GLADSTONE CIRCLE, BROOMFIELD, CO 80020
85 WILLIS PLACE, AVON, CO 81620
6306 UMBER CIR, ARVADA CO 80403
330 GLADSTONE CIRCLE, BROOMFIELD, CO 80020
330 GLADSTONE CIRCLE, BROOMFIELD, CO 80020
6241 W 116TH AVE, WESTMINSTER, CO 80303

INTERMOUNTAIN

S.ID, MT, UT, WY

DAVE JORDAN (PRINCIPAL)
ALEX GOYZUETA

JORDY@AVIDDSPORTS.COM
ALEX@INTERMOUNTAINREPS.COM

435-659-8459
801-541-8031

1798 S SUMMIT HAVEN CIRCLE, FRANCIS, UT 84036
3580 SOUTH 300 WEST, SLC, UT 84115

SOUTH CENTRAL

TX, AR, LA, OK, KS, MO

WADE WINDOM (PRINCIPAL, WINDOM SALES INC.)

WSIOUTDOOR@GMAIL.COM

512-970-5929

993 HILLCREST FOREST, CANYON LAKE, TX 78133

GREAT LAKES

MIN, WI, IL, MI, ND, SD, NE, IN, IA, OH

ADAM GUILLE (PRINCIPAL)
JESSICA GUILLE (PRINCIPAL)
RIK ANDRESEN
PATTI YEARN

ADAM.GUILLE@ME.COM
J.GUILLE.ICLOUD.COM
RIKANDRESEN1@GMAIL.COM
PATTIYEARN@GMAIL.COM

414-429-1858
414-429-0589
505-259-9247
N/A

2391 FIELDSTONE CURVE, WOODBURY, MN 55129
2391 FIELDSTONE CURVE, WOODBURY, MN 55129
10883 E FORT RD, SUTTONS BAY, MI 49682
10883 E FORT RD, SUTTONS BAY, MI 49682

MID ATLANTIC

DE, MD, NJ, NY, PA, N.VA, DC

JIM TATKO (PRINCIPAL)
METRO MOUNTAIN SPORTS GROUP, LLC
CHRIS LAW (PRINCIPAL)
METRO MOUNTAIN SPORTS GROUP, LLC

JTATKO@METROMOUNTAINSG.COM
CLAW@METROMOUNTAINSG.COM

610-909-0603
518-858-9607

12 DETWEILER LANE, AMBLER, PA 19002
45 FIELDSTONE DRIVE, GANSEVOORT, NY 12831

NEW ENGLAND

CT, ME, MA, NH, RI, VT

BRUCE DIEHL (PRINCIPAL, TYROL SPORTS GROUP, LLC)
MIKE AICHER (PRINCIPAL, TYROL SPORTS GROUP, LLC)
PATRICK RUANE (PRINCIPAL, TYROL SPORTS GROUP, LLC)
HANNAH BLAZEJEWSKI

BRUCE@TYROLSPORTSGROUP.COM
MIKE@TYROLSPORTSGROUP.COM
PATRICK@TYROLSPORTSGROUP.COM
HANNAH@TYROLSPORTSGROUP.COM

603-759-7952
503-701-1819
603-731-5747
413-822-8859

24 PRESIDENTIAL RD, JACKSON, NH 03846
4 SOUTHERN BLVD, RUTLAND, VT 05701
490 PAGE RD, BOW, NH 03304
N/A

SOUTH EAST

AL, FL, GA, KY, MS, NC, SC, TN, S.VA, WV

DITTA HAMBLY (PRINCIPAL, GRAVY SALES)
MITCH DAVIS (PRINCIPAL, GRAVY SALES)
ANDY CROSSLEY
MIKE LAMB

DITTAHAMBLY@GMAIL.COM
JMITCHDAVIS@GMAIL.COM
ANDY@GRAVYSALES.COM
MLAMB777@AOL.COM

770-402-7814
404-402-0163
770-301-4711
770-335-2850

111 WALNUT ST, MT PARK, ROSWELL, GA 30075
4021 REGENY LAKE TRAIL, MARIETTA, GA 30062
5157 POPLAR SPRINGS ROAD, STONE MOUNTAIN, GA 30083
318 COFFEE KNOB ROAD, BOONE, NC 28607

SALOMON